MATERIAL SAFETY

ЗМ

DATA SHEET

3M Center

St. Paul, Minnesota

55144-1000

1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 2000, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

- 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

DIVISION: ELECTRICAL PRODUCTS DIVISION

TRADE NAME:

3M Brand Wire Pulling Lubricant

ID NUMBER/U.P.C.:

80-6107-3662-3 00-54007-50622-5 80-6107-3663-1 00-54007-50623-2 80-6107-3664-9 00-54007-50624-9 80-6107-3665-6 00-54007-50625-6 80-6107-3931-2 00-54007-41313-4 80-6108-3578-9 00-54007-41925-9

ISSUED: June 09, 2000 SUPERSEDES: March 03, 1997

DOCUMENT: 06-5049-9

1. INGREDIENT	C.A.S. NO.			
WATER	7732-18-5	95	- 99	
GLYCOLS, POLYPROPYLENE POLYETHYLENE GLYCOL	25322-69-4 25322-68-3	-	•	

NOTE: ALL INGREDIENTS LISTED ON TSCA, AICS, CDSL, EINICS, AND KTCCL INVENTORIES.

## 2. PHYSICAL DATA

\_\_\_\_\_\_

BOILING POINT:..... 100 C VAPOR PRESSURE:..... 18 mm AT 72 F

SOLUBILITY IN WATER:.... complete SPECIFIC GRAVITY:..... 1.01 Water=1 PERCENT VOLATILE:..... 97 %

pH:..... 6.5 - 8.5 VISCOSITY:..... 110000 - 115000 centipoise

APPEARANCE AND ODOR:

Gel, OPAQUE; WHITE; NO ODOR

EXTINGUISHING MEDIA:

Non-combustible. Choose material suitable for surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES:
None known.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

NFPA HAZARD CODES: HEALTH: 0 FIRE: 0 REACTIVITY: 0 UNUSUAL REACTION HAZARD: none

A DESCRIPTION DAMA

#### 4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:
 None known.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide and Carbon Dioxide.

-----

# 5. ENVIRONMENTAL INFORMATION

## SPILL RESPONSE:

Cover with absorbent material. Collect spilled material. Clean up residue with water. Place in a closed container.

OXIDIZING AGENTS SUCH AS HOUSEHOLD BLEACH CAN BE USED TO ELIMINATE SLIPPERY CHARACTER.

### RECOMMENDED DISPOSAL:

Discharge spent solutions to a wastewater treatment system. Dispose of completely absorbed waste product in a sanitary landfill. Dispose of empty cans in a sanitary landfill.

MSDS: 3M Brand Wire Pulling Lubricant June 09, 2000 PAGE 3 5. ENVIRONMENTAL INFORMATION (continued) ENVIRONMENTAL DATA: Not determined. REGULATORY INFORMATION: Volatile Organic Compounds: N/D. VOC Less H2O & Exempt Solvents: N/D. Since regulations vary, consult applicable regulations or authorities before disposal. EPCRA HAZARD CLASS: FIRE HAZARD: NO PRESSURE: NO REACTIVITY: NO ACUTE: NO CHRONIC: NO 6. SUGGESTED FIRST AID Immediately flush eyes with large amounts of water. Get immediate medical attention. SKIN CONTACT: No need for first aid is anticipated. INHALATION: No need for first aid is anticipated. IF SWALLOWED: Drink two glasses of water. Call a physician. 7. PRECAUTIONARY INFORMATION EYE PROTECTION: Avoid eye contact. The following should be worn alone or in

combination, as appropriate, to prevent eye contact: Wear safety glasses with side shields.

### SKIN PROTECTION:

Avoid prolonged or repeated skin contact.

## RECOMMENDED VENTILATION:

Use in a well-ventilated area.

## RESPIRATORY PROTECTION:

Not applicable.

MSDS: 3M Brand Wire Pulling Lubricant June 09, 2000

June 09, 2000 PAGE 4

\_\_\_\_\_\_\_

# 7. PRECAUTIONARY INFORMATION (continued)

PREVENTION OF ACCIDENTAL INGESTION:

Wash hands after handling and before eating.

RECOMMENDED STORAGE:

Not applicable. Keep out of the reach of children.

FIRE AND EXPLOSION AVOIDANCE:

Not applicable.

#### EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
WATERGLYCOLS, POLYPROPYLENE	NONE 10	NONE MG/M3	NONE TWA	NONE AIHA	
POLYETHYLENE GLYCOL	10	PARTICULATE MG/M3 PARTICULATE	TWA	AHIA	

\* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- AIHA: American Industrial Hygiene Assoc. Workplace Environmental Exposure Level Guideline

- NONE: None Established

\_\_\_\_\_

# 8. HEALTH HAZARD DATA

EYE CONTACT:

Single exposure may cause:

Mild Eye Irritation: signs/symptoms can include redness, swelling, pain, and tearing.

SKIN CONTACT:

No adverse health effects are expected from skin contact.

INHALATION:

No adverse health effects are expected from inhalation exposure.

Health effects from inhalation are not expected unless product is heated.

\_\_\_\_\_

o uno	03, 20					INGE S
8.	HEALTH	HAZARD	DATA	(continued)		
	WALLOWE: advers	e health		are expected from	_	
SECT	ION CHAI	NGE DATE		• * * * * * * * * * * * * * * * * * * *	 	

PRECAUTIONARY INFO. SECTION CHANGED SINCE March 03, 1997 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.