

Material Safety Data Sheet This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200



Not controlled under WHMIS (Canada).

HCS CLASS: Irritating substance.

WHMIS (Pictograms)

WHMIS (Classification)

HCS

Section 1. Che	Section 1. Chemical Product and Company Identification			
Product Name/ Trade name	Floor Sealer	Code	607	
Synonym	Metal Interlocked Acrylic Polymer Floor Finish	CAS#	Mixture.	
Chemical Family	N/A	Validation	Date 3/2/2007	
Chemical Formula	Not applicable.	Print Date	3/24/2007	
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	In Case of Emergency	CHEMTREC 424-9300	(800)
TSCA	TSCA Inventory: All components listed or are exempt from listing.			
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		Protective Clothing	5

Section 2. Composition and Information on Ingredients				
Name	CAS#	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Acrylic Polymer	N/A	10-15	Not available.	Not available.
Tributoxyethyl Phosphate	78-51-3	0-5	Not available.	Not available.
Homopolymer	68441-73-6	0-5	Not available.	Not available.
Diethylene Glycol Ethyl Ether	111-90-0	0-5	TWA: 25 CEIL: 25	ORAL (LD50): Acute:
			(ppm)	5540 mg/kg [Rat].
Ammonium Hydroxide	1336-21-6	0.01-1	Not available.	Not available.

Section 3. Hazards Identification		
Potential Acute Health Effects	May cause mild irritation to the skin. This product is an eye irritant.	
Potential Chronic Health Effects	Repeated skin exposure can produce local skin destruction, or dermatitis.	
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.	

Section 4. First Aid Measures		
Eye Contact	Flush with large quantities of water. Seek medical attention if irritation persists.	
Skin Contact	Flush with water. Seek medical attention if irritation persists.	
Inhalation	N/A	
Ingestion	Dilute with two glasses of water. Seek medical attention if symptoms persist.	

Section 5. Fire Fighting Measures	
Products of Combustion	Not Available
Fire Fighting Media and Instructions	N/A
Special Remarks on Fire Hazards	N/A
Special Remarks on Explosion Hazards	N/A

Section 6. Accidental Release Measures	
Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Personal Protection in Case of a Large Spill	Gloves. Splash goggles. Boots.

Section 7. Handling and Storage	
Precautions	Avoid contact with skin and eyes.
Incompatibility	None known.
Storage	Keep out of reach of children. For Institutional and Commercial Use Not for use or storage in or around the home.

Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection Eye	s Splash goggles.
Boa	No special protective clothing is required.
Respirator	Not applicable.
Hana	Gloves.
Protective Clothing (Pictograms)	
Exposure Limits	Not available.

Section 9. Physical and Chemical Properties			
Physical State and Appearance	Liquid	Odor	Characteristic.
Molecular Weight	Not applicable.	Taste	Not available.
рН	8.1 to 8.9 [Basic.]	Color	White.
Boiling/Condensation Point	212°F initial		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.017 (Water = 1)		
Vapor Pressure	20mm Hg @ 68°F		


Vapor Density	>1 (Air = 1)
Volatility	
VOC	Not available.
Evaporation Rate	<1
Dispersion Properties	Dispersed in cold water, hot water, methanol, diethyl ether, n-octanol, acetone.
Solubility	Soluble
The Product is:	Non-flammable.
Auto-ignition Temperature	Not Available
Flash Points	None to Boiling (TCC)
Flammable Limits	Not Applicable
Fire Hazards in Presence of Various Substances	not available
Explosion Hazards in Presence of Various Substances	Not Applicable

Section 10. Stability and Reactivity Data	
Stability	The product is stable.
Incompatibility with Various Substances	None known.
Hazardous Decomposition Will not occur. Products	

Section 11. Toxicological Information		
Routes of Entry	Eye Contact Ingestion. INHALATION Skin contact.	
Toxicity to Animals	Acute oral toxicity (LD50): 5000 mg/kg [Rat]. (Propylene Glycol).	
Acute Effects on Huma	nns	
E	Eyes Eye irritant. May cause redness and swelling of the conjunctiva.	
S	Prolonged or repeated contact may cause irritation or dermatitis.	
Inhalat	tion N/A	
Ingest	tion May be irritating to the gastrointestinal system. Vomiting and diarrhea expected with large doses.	
Chronic Effects on Humans	Repeated skin exposure can produce local skin destruction, or dermatitis.	
Special Remarks on Toxicity to Animals	No additional remark.	
Special Remarks on Chronic Effects on Humans	No additional remark.	

Section 12. Ecological Information		
Ecotoxicity	Not Available	
BOD5 and COD	Not Available	
Products of Biodegradation	Not Available	
Toxicity of the Produc Biodegradation	ts of as toxic as the original product.	
Special Remarks on th Products of Biodegradation	e No additional remark.	

Section 13. Disposal Considerations Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations. Waste Stream Not available.



WHMIS (Classification)	Not controlled under WHMIS (Canada).			
Regulatory Lists	CEPA DSL: No products were found.			
Other Regulations	Not available. or of its ingredients			
Other Classifications	HCS (U.S.A.)	HCS CLASS: Irritating substance.		
	USA Regulatory Lists	California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Formaldehyde <0.1% California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Formaldehyde <0.1%		

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Diethylene Glycol Methyl Ether SARA 313 toxic chemical notification and release reporting: Diethylene Glycol Methyl Ether DSD (EEC) This product is not classified according to the EU regulations. International No products were found. **Regulations Lists** Hazardous Material 1 National Fire Flammability **Information System** Protection **Flammability** (U.S.A.) Instability Health (Association **Physical Hazard** (U.S.A.) The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE Specific Hazard MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

Section 16. Other Information

Validated by CRushton on 3/2/2007.

Verified by CRushton. Printed 3/24/2007.

Information Contact Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607

Notice to Reade

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 3/2/2007. Floor Sealer Page: 5/5

Continued on Next Page