Ethanol, Denatured, 95%



Section 1

Product Description

Product Name: Recommended Use: Synonyms: Distributor: Ethanol, Denatured, 95% Science education applications Alcohol, Ethyl alcohol Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215 1-800-227-1150 800-227-1150 (8am-5pm (ET) M-F) 800-424-9300 (Transportation Spill Response 24 hours)

Chemical Information: Chemtrec:

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER

Section 2



Highly flammable liquid and vapor. May cause damage to organs.

GHS Classification:

Flammable Liquid Category 2, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 2

Other Safety Precautions:

Composition / Information on Ingredients

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

<u>Chemical Name</u> Ethanol	<u>CAS #</u> 64-17-5	<u>%</u> 85.98
Water	7732-18-5	5
2-Propanol	67-63-0	4.75
Methanol	67-56-1	4.28
Reagent Alcohol, Specially Denatured Alcohol Formula 3-A-	95 parts by vol., and Isopropyl Alcohol—5	parts by vol.

Section 4

Section 3

First Aid Measures

Emergency and First Aid Procedures

Inhalation:	In case of accident by inhalation: remove casualty to fresh air and keep at rest.
Eyes:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact:	After contact with skin, wash immediately with plenty of water.
Ingestion:	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Section 6

Firefighting Procedures

Extinguishing Media: Fire Fighting Methods and Protection:	Use dry chemical, CO2 or appropriate foam. Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.
Fire and/or Explosion Hazards:	Vapors may travel back to ignition source. Closed Containers exposed to heat may explode.
Hazardous Combustion Products:	Carbon dioxide, Carbon monoxide

Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS Ventilate the contaminated area. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Isolate area. Keep unnecessary personnel away.

Local exhaust ventilation or other engineering controls are normally required when

No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section 11. A

above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas

None required where adequate ventilation is provided. If airborne concentrations are

Wear chemical splash goggles when handling this product. Have an eye wash station

Vapor Pressure: 57.3 hPa at 20°C

Specific Gravity: (Ethanol) 0.789 at 20 °C

Decomposition Temperature: No data available

Evaporation Rate (BuAc=1): 3.3

Autoignition Temperature: 363 C

Percent Volatile by Volume: 95%

Vapor Density (Air=1): 1.6

Solubility in Water: Soluble Log Pow (calculated): -0.32

Viscosity: No data available

with mild soap and water before eating, drinking, and when leaving work

Ventilate the area by opening door and/or turning on fans and blowers. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

Section 7

Handling and Storage

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving Handling: equipment. Use explosion-proof electrical/ventilating/lighting/.../ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

Storage:

Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed in a cool, wellventilated place.

Storage Code: Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8 **Protection Information**

	ACO	<u>GIH</u>	OSHA PEL		
<u>Chemical Name</u>	<u>(TWA)</u>	<u>(STEL)</u>	<u>(TWA)</u>	<u>(STEL)</u>	
Ethanol	N/A	1000 ppm STEL	1000 ppm TWA;	N/A	
			1900 mg/m3 TWA		
2-Propanol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980	N/A	
			mg/m3 TWA		
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260	N/A	
			mg/m3 TWA		

handling or using this product to avoid overexposure.

Lab coat, apron, eve wash, safety shower,

respirator is not normally required.

available.

Nitrile

Control Parameters

Engineering Measures:

Personal Protective Equipment (PPE): **Respiratory Protection:**

Respirator Type(s):

Eye Protection:

Skin Protection:

Gloves:

Section 9

Physical Data

Formula: CH3CH2OH Molecular Weight: (Ethanol) 46.07 Appearance: Colorless Liquid Odor: Moderate Alcohol Odor Odor Threshold: No data available pH: No data available Melting Point: -114 C **Boiling Point: 79 C** Flash Point: 17 C Flammable Limits in Air: 3.3 - 19% (Ethanol)

Section 10

Reactivity: Chemical Stability:

Reactivity Data

Not generally reactive under normal conditions. Stable under normal conditions.

Conditions to Avoid:

Incompatible Materials: Hazardous Decomposition Products: Hazardous Polymerization: Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Organic Peroxides, Strong acids, Oxidizing materials, Water-reactive materials Carbon dioxide Will not occur

Section 11

Toxicity Data

Routes of EntrySymptoms (Acute):ReDelayed Effects:Liv

Inhalation and ingestion. Respiratory Irritation, Dermititis, Central Nervous System Depression Liver disorders

Acute Toxicity:				
Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	Oral LD50 Rat		
		90000 mg/kg		
2-Propanol	67-63-0	Oral LD50 Rat		INHALATION
		5045 mg/kg		LC50 Rat 16000
		Oral LD50 Mouse 3600 mg/kg		ppm
Methanol	67-56-1	Oral LD50 Mouse		INHALATION
Methanol	07-30-1	7300 mg/kg		LC50 Rat 64000
		r ooo mg/kg		ppm
Carcinogenicity:				
Chemical Name	CAS Number	IARC	NTP	OSHA
Ethanol	64-17-5	Listed	Listed	Listed
2-Propanol	67-63-0	Listed	Not listed	Not listed
Methanol	67-56-1	Not listed	Not listed	Not listed

Chronic Effects:	
Mutagenicity:	No evidence of a mutagenic effect.
Teratogenicity:	No evidence of a teratogenic effect (birth defect).
Sensitization:	No evidence of a sensitization effect.
Reproductive:	No evidence of negative reproductive effects.
Target Organ Effects:	
Acute:	Central Nervous System, Eyes
Chronic:	Eyes

Section 12

Ecological Data

Overview: Mobility: Persistence: Bioaccumulation: Degradability: Other Adverse Effects:	Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife. This material is expected to have moderate mobility in soil. It absorbs to most soil types. Biodegradation Bioconcentration is not expected to occur. Biodegrades quickly. No data		
Chemical Name Ethanol Water 2-Propanol Methanol	CAS Number 64-17-5 7732-18-5 67-63-0 67-56-1	Eco Toxicity 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] No data available 96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 μG/L 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L 48 HR EC50 DAPHNIA MAGNA 13299 MG/L 72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L	

Section 13

Disposal Information

Disposal Methods:

Waste Disposal Code(s):

Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance. If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14

Transport Information

Ground - DOT Proper Shipping Name: UN1170Ethanol SolutionsClass 3P.G. II

Air - IATA Proper Shipping Name: UN1170 Ethanol Solutions Class 3 P.G. II

Section 15

Regulatory Information

TSCA Status:

All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Ethanol	64-17-5	No	No	No	No	No
2-Propanol	67-63-0	Isopropyl alcohol	No	No	No	No
Methanol	67-56-1	No	No	No	No	No

California Prop 65:

Section 16

WARNING: This product contains a chemical known to the state of California to cause cancer and birth defects or other reproductive harm.

Additional Information

Revised: 03/27/2017

Replaces: 03/27/2017

Printed: 03-31-2017

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary			
ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health