

Prepared to US-OSHA Standards

SDS Revision: 3.0

SDS Revision Date: 10Jan19

B4 Brands AVANT[®] INSTANT HAND SANITIZER

	1. PRODUCT AND COMPANY IDENTIFICATION					
1.1	Product Name:	B4 Brands AVANT [®] INSTANT HAND SANITIZER				
1.2	Product Code:	12089FF				
1.2	Product Uses &					
1.5	Restrictions:	OTC Antimicrobial Hand Sanitizer for consumer and occupational use.				
1.4	Supplier Name:	B4 Brands				
1.5	Supplier Address:	1001 North Washington Street				
1.6	Business Phone:	1-888-667-6066				
1.7	Business Email:	www.b4brands.com				
1.8	Emergency Phone:	INFOTRAC: 1-800-535-5053 (North America) +1-352-323-3500 (Outside North America)				
	his document is written for the packaged product and contains information for an occupational, or workplace, setting.					
	ZARDS IDENTIFIC					
2.1	Classification of the			e Liquid - Category 3		
	Substance or		•	Irritation - Category 2A		
	Mixture:		tal Hazards: Not			
2.2	Labeling Elements:	•	al Word: Warnin	0	Hazard	
				ble Liquid and Vapour. Causes serious eye irritation.	Pictograms:	
				Keep away from heat, hot surfaces, sparks, open flames and	\sim	
				bking. Keep container tightly closed. Store in well ventilated : Rinse cautiously with water for several minutes. Remove		
				easy to do. Continue rinsing. If eye irritation persists: Get	<u><u></u></u>	
				edical advice is needed, have product container or label at	\sim	
				ildren. Read label before use. Dispose of waste and residue	~	
				prity requirements.		
		in accordance		inty requirements.		
2.3	Other Hazards:	None known.				
3 60	OMPOSITION / INFO	RMATION (NTS		
Mixtu						
			CAS No.	GHS Hazard Classification	% by Weight	
CHEIV			CAS NO.			
Ethan	ol		64-17-5	Flammable Liquid, Category 2	60 - 65	
Emanor				Serious Eye Irritant, Category 2A		
1						
				vithin the current knowledge of the supplier and in the concent		
				vithin the current knowledge of the supplier and in the concent r have been assigned a workplace exposure limit, and hence r		
	assified as physical, heal					
are cla this se	assified as physical, heal action.	th or environm				
are cla this se	assified as physical, heal	th or environm				
are cla this se	assified as physical, heal action.	th or environm S <u>Ingestion</u> : In o	ental hazards, or	r have been assigned a workplace exposure limit, and hence read to a solution of the second sec	equire reporting in	
are cla this se 4. FII	assified as physical, heal action. RST AID MEASURE	th or environm S <u>Ingestion</u> : In o	ental hazards, or	r have been assigned a workplace exposure limit, and hence r	equire reporting in	
are cla this se 4. FII	assified as physical, heal action. RST AID MEASURE Description of First	th or environm S Ingestion: In o water to drink Eyes: In case	ental hazards, or case of ingestion . Never give any of eye contact, r	r have been assigned a workplace exposure limit, and hence re a, do not induce vomiting without medical advice. Give victim se thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact	equire reporting in everal glasses of tion if necessary. ct lenses, if	
are cla this se 4. FII	assified as physical, heal action. RST AID MEASURE Description of First	th or environm S Ingestion: In o water to drink Eyes: In case	ental hazards, or case of ingestion . Never give any of eye contact, r	r have been assigned a workplace exposure limit, and hence re , do not induce vomiting without medical advice. Give victim se thing by mouth to an unconscious person. Seek medical attent	equire reporting in everal glasses of tion if necessary. ct lenses, if	
are cla this se 4. FII	assified as physical, heal action. RST AID MEASURE Description of First	th or environm S Ingestion: In o water to drink Eyes: In case present and e Skin: If signs	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the	r have been assigned a workplace exposure limit, and hence re the one of the provided and the provided advice. Give victim set thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and	equire reporting in everal glasses of tion if necessary. ct lenses, if on.	
are cla this se 4. FII	assified as physical, heal action. RST AID MEASURE Description of First	h or environm <u>Ingestion</u> : In o water to drink <u>Eyes</u> : In case present and e <u>Skin</u> : If signs medical atten	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event	r have been assigned a workplace exposure limit, and hence re n, do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist.	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek	
are cla this se 4. FII	assified as physical, heal action. RST AID MEASURE Description of First	h or environm S Ingestion: In o water to drink Eyes: In case present and e Skin: If signs medical atten Inhalation: If r	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event respiratory distre	r have been assigned a workplace exposure limit, and hence re n, do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. ess or irritation occurs, remove victim to fresh air. Seek medical	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek	
are cla this se 4. FII 4.1	assified as physical, heal action. RST AID MEASURE : Description of First Aid Measures:	h or environm S Ingestion: In o water to drink Eyes: In case present and e Skin: If signs medical atten Inhalation: If r	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event respiratory distre	r have been assigned a workplace exposure limit, and hence re n, do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist.	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek	
are cla this se 4. FII	assified as physical, heal action. RST AID MEASURE Description of First	h or environm S Ingestion: In o water to drink Eyes: In case present and e Skin: If signs medical atten Inhalation: If r	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event respiratory distre	r have been assigned a workplace exposure limit, and hence re n, do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. ess or irritation occurs, remove victim to fresh air. Seek medical	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek	
are cla this se 4. FII 4.1	assified as physical, heal action. RST AID MEASURE : Description of First Aid Measures:	th or environm S Ingestion: In o water to drink Eyes: In case present and e Skin: If signs medical atten Inhalation: If r event of an ac	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event respiratory distre- dverse reaction of	r have been assigned a workplace exposure limit, and hence re a, do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. ss or irritation occurs, remove victim to fresh air. Seek medical or if symptoms persist.	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek I attention in the	
are cla this se 4. FII 4.1	Assified as physical, heal ection. RST AID MEASURES Description of First Aid Measures: Most Important	th or environm S Ingestion: In o water to drink Eyes: In case present and e Skin: If signs medical atten Inhalation: If r event of an ac	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event respiratory distre- dverse reaction of	r have been assigned a workplace exposure limit, and hence re n, do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. ess or irritation occurs, remove victim to fresh air. Seek medical	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek I attention in the	
are cla this se 4. FII 4.1	Assified as physical, heal ection. RST AID MEASURES Description of First Aid Measures: Most Important Symptoms and	h or environm <u>S</u> <u>Ingestion</u> : In c water to drink <u>Eyes</u> : In case present and e <u>Skin</u> : If signs medical atten <u>Inhalation</u> : If r event of an ac Direct contact	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event respiratory distre- dverse reaction of	r have been assigned a workplace exposure limit, and hence re a, do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. ss or irritation occurs, remove victim to fresh air. Seek medical or if symptoms persist.	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek I attention in the	
are cla this se 4. FII 4.1 4.2	Assified as physical, heal ection. RST AID MEASURE: Description of First Aid Measures: Most Important Symptoms and Effects, Both Acute and Delayed:	h or environm <u>S</u> <u>Ingestion</u> : In c water to drink <u>Eyes</u> : In case present and e <u>Skin</u> : If signs medical atten <u>Inhalation</u> : If r event of an ac Direct contact	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event respiratory distre- dverse reaction of	r have been assigned a workplace exposure limit, and hence re a, do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. ss or irritation occurs, remove victim to fresh air. Seek medical or if symptoms persist.	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek I attention in the	
are cla this se 4. FII 4.1	Assified as physical, heal action. RST AID MEASURE: Description of First Aid Measures: Most Important Symptoms and Effects, Both Acute and Delayed: Indication of	S Ingestion: In o water to drink Eyes: In case present and e Skin: If signs medical atten Inhalation: If r event of an ac Direct contact redness.	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event respiratory distre- dverse reaction of t with eyes may of	r have been assigned a workplace exposure limit, and hence re- thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. ss or irritation occurs, remove victim to fresh air. Seek medical prif symptoms persist.	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek I attention in the earing, and	
are cla this se 4. FII 4.1	Assified as physical, heal ection. RST AID MEASURE: Description of First Aid Measures: Most Important Symptoms and Effects, Both Acute and Delayed: Indication of Immediate Medical	S Ingestion: In o water to drink Eyes: In case present and e Skin: If signs medical atten Inhalation: If r event of an ac Direct contact redness.	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event respiratory distre- dverse reaction of t with eyes may of	r have been assigned a workplace exposure limit, and hence re a, do not induce vomiting without medical advice. Give victim set thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. ss or irritation occurs, remove victim to fresh air. Seek medical or if symptoms persist.	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek I attention in the earing, and	
are cla this se 4. FII 4.1 4.2	Assified as physical, heal action. RST AID MEASURE: Description of First Aid Measures: Most Important Symptoms and Effects, Both Acute and Delayed: Indication of	S Ingestion: In o water to drink Eyes: In case present and e Skin: If signs medical atten Inhalation: If r event of an ac Direct contact redness.	ental hazards, or case of ingestion . Never give any of eye contact, r easy to do. Contin of irritation to the tion in the event respiratory distre- dverse reaction of t with eyes may of	r have been assigned a workplace exposure limit, and hence re- thing by mouth to an unconscious person. Seek medical attent rinse cautiously with water for several minutes. Remove contact nue rinsing. If eye irritation persists: Get medical advice/attenti e skin develop, wash the affected area with plenty of water and of an adverse reaction or if symptoms persist. ss or irritation occurs, remove victim to fresh air. Seek medical prif symptoms persist.	equire reporting in everal glasses of tion if necessary. ct lenses, if on. I soap. Seek I attention in the earing, and	



Prepared to US-OSHA Standards

B4 Brands AVANT[®] INSTANT HAND SANITIZER

SDS Revision: 3.0

5. F	IRE FIGHTING MEAS	SURES					
5.1	Extinguishing Media:	<u>Suitable Extinguishing Media:</u> Water mist, dry chemical, alcohol resistant foam, or carbon dioxide. Unsuitable Extinguishing Media: None known.					
5.2	Specific Hazards:	Warning! Flammable liquid and vapor. When heated above the flash point, vapours may burn or form explosive mixture with air. May produce oxides of carbon and/or nitrogen on combustion.					
5.3	Special Protective					-	
	Equipment and Precautions for Firefighters:	Wear self-contained bre Use standard firefightin		and full personal prot	ective gear.		
6. A	CCIDENTAL RELEAS	SE MEASURES					
6.1	Personal						
	Precautions,	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of ignition and ensure adequate ventilation. Ventilate closed spaces before entering them. Keep unnecessary personnel away.					
6.2	Environmental Precautions:	Dike or contain spill to p	prevent from ente	ring drains. Avoid dired	ct release to drains, surfa	ce and ground water.	
6.3	Methods and Material for Containment and Cleaning Up:	Clean up spill with non-combustible absorbent material. Clean area to prevent a slip hazard. Dispose of all washings, sweepings, and absorbents in accordance with federal, state and local regulations. Use non-sparking tools and equipment. Take action to prevent static discharges.					
7 Ц	ANDLING AND STOP						
<u>и. п</u> 7.1	2	2			de en la citica e comerca e dititi	in a faile a dlian a d	
	Handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Utilize safe handling and transportation techniques to avoid spillage or rupture of the product. Ensure adequate ventilation in the workplace. Avoid direct eye contact. Do not eat, drink, or smoke while handling. Wear appropriate personal protective equipment (see Section 8). Routinely wash work clothing and protective equipment. Observe good hygiene practices.					
7.2	Conditions for Safe Storage:	Store in a cool, dry, and well-ventilated area away from direct sun-light and incompatible materials (see Section 10). Do not store near heat, sparks, open flames and other ignition sources. Store at temperatures 4 to 40°C (39 to 104°F).					
	XPOSURE CONTRO	LS / PERSONAL PR	ROTECTION				
8.1	Control Parameters:		CAS	Occupational Exposure Limits			
		CHEMICAL NAME	Number	OSHA PEL (TWA)	NIOSH REL (TWA)	ACGIH TLV (STEL)	
		Ethanol	64-17-5	1000 ppm 1900 mg/m ³	1000 ppm 1900 mg/m ³	1000 ppm	
8.2	Engineering Controls:	Provide adequate ventil limits.	lation in the work	place to maintain airbo	rne levels below recomm	ended exposure	
8.3	Respiratory Protection:	NIOSHA approved respirator in accordance with 29 CFR 1910.134 if airborne exposure limits are exceeded.					
8.4	Eye Protection:	Avoid eye contact. Wear protective eyewear (e.g., safety glasses with side-shield) if eye contact hazards exist in the workplace.					
8.5	Skin Protection:	No special skin protection is required under typical circumstances of use and handling.					
9. P	HYSICAL AND CHEM	IICAL PROPERTIES	S				
9.1	Appearance:	Clear, colorless fluid ge					
9.2	Odor:	Alcohol					
9.3	Odor Threshold:	No data available on thi	s product				
9.4	pH:	6.0 - 7.5	•				
9.5	Melting Point:	No data available on thi	s product				
9.6	Freezing Point:	No data available on thi					
9.7	Initial Boiling Point/Boiling Range:	No data available on this product					



Prepared to US-OSHA Standards

B4 Brands AVANT[®] INSTANT HAND SANITIZER

SDS Revision: 3.0

0.0		No data available as this anadvat		
	Evaporation Rate:	No data available on this product		
9.10	Flammability	No data available on this product		
	(solid, gas):	·		
9.11	Upper/Lower	UEL: 19.0% (ethanol)		
	Flammability or	LEL: 3.3% (ethanol)		
	Explosive Limits:			
	Vapor Pressure:	No data available on this product		
	Vapor Density:	No data available on this product		
9.14	Relative Density	0.810 - 0.870		
	(water=1.0):			
	Solubility:	Soluble in water		
9.16	Partition Coefficient	No data available on this product		
	(n-octanol/water):			
9.17	Autoignition	No data available on this product		
	Temperature:			
9.18	Decomposition	No data available on this product		
	Temperature:	No data available on this product		
9.19	Viscosity:	No data available on this product		
9.20	Other Information:	No relevant additional information available on this product		
10. S	TABILITY AND REA	CTIVITY		
10.1	Reactivity:	The product is not reactive under normal conditions of use, storage and transport.		
	Chemical Stability:	This product is stable under normal handling and storage conditions.		
	Possibility of			
	Hazardous	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.		
	Reactions:			
10.4	Conditions to Avoid:	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.		
	Incompatible			
	Materials:	Strong acids, bases, and oxidizing agents.		
10.6	Hazardous			
	Decomposition	No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on		
	Products:	combustion.		
11. T	OXICOLOGICAL IN	FORMATION		
		Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations		
		h US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional		
	nent data not shown.			
		Effects and Symptoms:		
		Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and		
		redness.		
		No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting,		
		drying and cracking of the skin.		
		No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed.		
	ingestion.	Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system		
		depression (headache, dizziness and drowsiness).		
		No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of		
		central nervous system depression (headache, dizziness, and drowsiness).		
11.2	Potential Chronic Hea	Ith Effects: None known		
11.3	Acute Toxicity:	Product Summary/Conclusion: Classification criteria are not met.		
		Acute Toxicity Estimate: Calculation Method		
		Oral: > 11,000 mg/kg		
		Dermal: > 33,000 mg/kg		
	Components	Ethanol: CAS 64-17-5		
		Oral LD50: 7060 mg/kg (Rat)		
		Dermal LD50: 20,000 mg/kg (Rabbit)		
L				



Prepared to US-OSHA Standards

B4 Brands AVANT[®] INSTANT HAND SANITIZER

SDS Revision: 3.0

11.4	Skin Corrosion/	Product Summary/Conclusion: Classification criteria are not met.			
11.4	Irritation:	Product: Human Repeat Insult Patch Test - No evidence of skin irritation.			
		Ethanol: CAS 64-17-5			
		Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating to skin			
		Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme			
		repeat dose situations.			
11.5	Serious Eye	Product Summary/Conclusion: Causes serious eye irritation.			
	Damage/Irritation:	Ethanol: CAS 64-17-5			
		Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): GHS Category 2A eye irritant.			
11.6	Respiratory or Skin Sensitization:	Product Summary/Conclusion: Classification criteria are not met.			
		Product: Human Repeat Insult Patch Test - No evidence of skin sensitization.			
		Ethanol: CAS 64-17-5			
		Respiratory Sensitization: No reports of human respiratory sensitization.			
		Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.			
11.7	Germ Cell	Product Summary/Conclusion: Classification criteria are not met. No data available to indicate product or			
11.7	Mutagenicity:	any components present at greater than 0.1% are mutagenic or genotoxic.			
	mutagementy:	Ethanol: CAS 64-17-5			
		In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salomella typhimurium up to			
		maximum plate concentration of 10 mg/plate, with and without metabolic activation.			
11.8	Carcinogenicity:	No components at levels greater than or equal to 0.1% are listed as carcinogens by IARC, US OSHA or NTP.			
11.9	Reproductive	Product Summary/Conclusion: Classification criteria are not met. No data available to indicate product or			
	Toxicity:	any components present at greater than 0.1% cause reproductive or developmental effects.			
		Ethanol: CAS 64-17-5			
		Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest			
		concentration tested)			
		Prenatal Developmental Toxicity, OECD 414, Rat, Inhalation: NOAEL (maternal toxicity) 16,000 ppm,			
		NOAEL (teratogenicity) > 20,000 ppm (highest concentration tested)			
11 10	STOT-Single				
	-	Not classified due to lack of data.			
	Exposure:				
	Exposure: STOT-Repeated	Product Summary/Conclusion: Classification criteria are not met.			
	Exposure:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5			
	Exposure: STOT-Repeated	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg			
11.11	Exposure: STOT-Repeated Exposure:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm			
11.11	Exposure: STOT-Repeated	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg			
11.11 11.12	Exposure: STOT-Repeated Exposure: Aspiration Hazard:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data.			
11.11 11.12 12. E	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data.			
11.11 11.12 12. E	Exposure: STOT-Repeated Exposure: Aspiration Hazard:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met.			
11.11 11.12 12. E	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5			
11.11 11.12 12. E	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae)			
11.11 11.12 12. E	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5			
11.11 11.12 12. E	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae)			
11.11 11.12 12. E	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia			
11.11 11.12 12. E 12.1	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina)			
11.11 11.12 12. E 12.1	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5			
11.11 11.12 12. E 12.1	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable			
11.11 11.12 12. E 12.1	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5			
11.11 11.12 12. E 12.1 12.2 12.3	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow)			
11.11 11.12 12. E 12.1 12.2 12.3 12.4	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable			
11.11 11.12 12. E 12.1 12.2 12.3 12.4	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow)			
11.11 11.12 12. E 12.1 12.2 12.3 12.4	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol (CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available			
11.11 11.12 12. E 12.1 12.2 12.3 12.4 12.5	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards.			
11.11 11.12 12. E 12.1 12.2 12.3 12.4 12.5	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards.			
11.11 <u>11.12</u> <u>12. E</u> 12.1 12.2 <u>12.4</u> 12.5 <u>13. D</u>	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards.			
11.11 11.12 12. E 12.1 12.2 12.3 12.4 12.5 13. D	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards.			
11.11 <u>11.12</u> <u>12. E</u> 12.1 12.2 <u>12.4</u> 12.5 <u>13. D</u>	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: ISPOSAL CONSIDE Waste Disposal	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for			
11.11 11.12 12. E 12.1 12.2 12.3 12.4 12.5 13.1	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: ISPOSAL CONSIDI Waste Disposal Methods:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantifies to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal.			
11.11 11.12 12. E 12.1 12.2 12.3 12.4 12.5 13. D 13.1 13.2	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: ISPOSAL CONSIDI Waste Disposal Methods: Special Precautions:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards. Example No other known adverse environmental effects or critical hazards.			
11.11 11.12 12. E 12.1 12.2 12.3 12.4 12.5	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: SPOSAL CONSIDI Waste Disposal Methods: Special Precautions: US EPA (RCRA)	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal. Observe all precautions for ignitable waste.			
11.11 11.12 12. E 12.1 12.2 12.3 12.4 12.5 13. D 13.1 13.2	Exposure: STOT-Repeated Exposure: Aspiration Hazard: COLOGICAL INFO Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: ISPOSAL CONSIDI Waste Disposal Methods: Special Precautions:	Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantifies to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal.			



Prepared to US-OSHA Standards

B4 Brands AVANT[®] INSTANT HAND SANITIZER

SDS Revision: 3.0

SDS Revision Date: 10Jan19

	NSPORT INFORM				
	<u> </u>	Consumer Commodity, Limited Quantity			
	<u>```</u>	Consumer Commodity, ID 8000, Class 9			
	· · · · ·	UN 1170, Ethanol Solutions, Class 3, Packing Group III, Limited Quantity			
	vironmental	Not regulated			
	zards:				
	ansport in Bulk				
	cording to Annex II	Not applicable			
	Marpol and the IBC				
	de:	The second with in words an environment in placed excitations that are wright and excite Decid CDC and			
		Transport within user's premises: Transport in closed containers that are upright and secure. Read SDS and emergency procedures before handling.			
TOP	User:				
15 DEC					
		No chemical components in this product are listed.			
		No chemical components in this product are listed.			
		Not applicable - product is exempt.			
		No chemical components in this product are listed.			
		RCRA D001/Unlisted Ignitable Hazardous Waste, Ethanol = 100 lbs			
	ean Air Act (CAA)	No chemical components in this product are listed.			
	ction 112(r) TQ: ean Water Act				
	WA):	No chemical components in this product are listed.			
	lifornia				
		This product is not subject to California warning labeling for carcinogens or reproductive toxins.			
Pro	oposition 65:				
AC OTH					
-	ER INFORMATIO				
16.1 Leg	-	ACGIH: American Conference of Governmental Industrial Hygienists			
		CAS: Chemical Abstracts Service			
		CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act			
		CFR: Code of Federal Regulations			
		DOT: (US) Department of Transportation			
		EC50: Effective Concentration, 50% EPA: (US) Environmental Protection Agency			
		GHS: Globally Harmonized System of Classification and Labeling Chemicals			
		IATA: International Air Transport Association			
		IARC: International Agency for the Research of Cancer			
		IBC: Intermediate Bulk Container			
		IMDG: International Maritime Dangerous Goods			
		LC50: Lethal Concentration, 50%			
		LD50: Lethal Dose, 50%			
		LOAEL: Lowest Observed Adverse Effect Level			
		Log Kow: Logarithm of the n-octanol/water partition coefficient			
		NIOSH: National Institute for Occupational Safety and Health			
		NOAEC: No Observed Adverse Effect Concentration			
		NOAEL: No Observed Adverse Effect Level			
		NOAEL: NO ODSERVED ADVERSE ETTECT LEVEL			
		NOAEL: No Observed Adverse Effect Level NTP: National Toxicology Program OECD: Organisation for Economic Co-operation and Development			
		NTP: National Toxicology Program			
		NTP: National Toxicology Program OECD: Organisation for Economic Co-operation and Development			
		NTP: National Toxicology Program OECD: Organisation for Economic Co-operation and Development OSHA: (US) Occupational Safety & Health Administration			
		NTP: National Toxicology Program OECD: Organisation for Economic Co-operation and Development OSHA: (US) Occupational Safety & Health Administration OTC: Over-The-Counter PEL: Permissible Exposure Limit RCRA: Resource Conservation and Recovery Act			
		NTP: National Toxicology Program OECD: Organisation for Economic Co-operation and Development OSHA: (US) Occupational Safety & Health Administration OTC: Over-The-Counter PEL: Permissible Exposure Limit RCRA: Resource Conservation and Recovery Act REL: Recommended Exposure Limit			
		NTP: National Toxicology Program OECD: Organisation for Economic Co-operation and Development OSHA: (US) Occupational Safety & Health Administration OTC: Over-The-Counter PEL: Permissible Exposure Limit RCRA: Resource Conservation and Recovery Act REL: Recommended Exposure Limit RQ: Reportable Quantity			
		NTP: National Toxicology Program OECD: Organisation for Economic Co-operation and Development OSHA: (US) Occupational Safety & Health Administration OTC: Over-The-Counter PEL: Permissible Exposure Limit RCRA: Resource Conservation and Recovery Act REL: Recommended Exposure Limit RQ: Reportable Quantity SARA: Superfund Amendments and Reauthorization Act			
		NTP: National Toxicology Program OECD: Organisation for Economic Co-operation and Development OSHA: (US) Occupational Safety & Health Administration OTC: Over-The-Counter PEL: Permissible Exposure Limit RCRA: Resource Conservation and Recovery Act REL: Recommended Exposure Limit RQ: Reportable Quantity			



Prepared to US-OSHA Standards

B4 Brands AVANT[®] INSTANT HAND SANITIZER

SDS Revision: 3.0

		TLV: Threshold Limit Value		
		TPQ: Threshold Planning Quantity		
		Q: Threshold Quantity		
		TWA: Time Weighted Average		
16.2	Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be accurate as of the date of publication. This information is offered in good faith by B4 Brands and the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or implied, are provided. If this product(s) is combined with other materials, all component properties must be considered. The user assumes all liability for any damage or from any hazards inherent in the nature of the product.		
16.3	Last Revision Date:	21Sep17		
16.4	Reason for Revision:	Updated format and to current regulations.		