



Safety Data Sheet

Issue date 25-Aug-2015

Version 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name SPRAYPAK FLYING & CRAWLING INSECT KILLER
Chemical name 7-7956-1

Other means of identification

Product code FG 433-4106-7
Synonyms Multi-purpose insecticide
Registration number(s) 498-174

Recommended use of the chemical and restrictions on use

Recommended Use Flying and crawling insect killer.
Uses advised against See directions for use on product's label.

Details of the supplier of the safety data sheet

Supplier Address	Manufacturer Address
Chase Products Co.	Chase Products Co.
2727 Gardner Road	2727 Gardner Road
Broadview, IL 60155	Broadview, IL 60155
708-273-1121	708-273-1121

Emergency Telephone Number

Company Phone Number 708-865-1000
24 Hour Emergency Phone Number 1-800-255-3924
Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

This chemical is regulated by FIFRA.

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1
carcinogenicity	Category 1B
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements
HARMFUL IF INHALED
May cause an allergic skin reaction
May cause cancer
Flammable Aerosol
Contains gas under pressure; may explode if heated

FG 433-4106-7 SPRAYPAK FLYING & CRAWLING INSECT KILLER



Appearance Off-white emulsion

Physical State Aerosol

Odor Cedarwood

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Wear protective gloves, protective clothing, eye protection and face protection.
 Avoid breathing fumes, mist, vapors or spray.
 Use only outdoors or in a well-ventilated area
 Keep away from heat, sparks, open flames and hot surfaces. — No smoking
 Pressurized container: Do not pierce or burn, even after use
 Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 Specific treatment: See additional cautionary statements on this label.
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation or rash occurs: Get medical advice/attention
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store locked up
 Protect from sunlight. Store in a well-ventilated place
 Do not expose to temperatures exceeding 122 °F (50 °C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

1.05% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

Common Name Insecticide spray.
Synonyms Multi-purpose insecticide.
Chemical Family Pesticide.
Formula 7-7956-1
Chemical nature Oil-water emulsion.

Chemical name	CAS No	weight-%	Trade secret
n-butane	106-97-8	10-15	*
Petroleum distillates, hydrotreated light	64742-47-8	5-10	*
Propane	74-98-6	1-5	*
Piperonyl Butoxide	51-03-6	1.00	*
Permethrin	52645-53-1	0.4	*
Pyrethrins	8003-34-7	0.2	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

- Eye Contact** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Skin contact** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advise.
- inhalation** If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.
- Ingestion** Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if inhaled.

Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillates, do not induce vomiting because of aspiration pneumonia hazard.

5. Fire-fighting measures

Suitable extinguishing media

CO2 (Carbon Dioxide), dry chemical, or water fog.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and various other hydrocarbons.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use with adequate general or local exhaust ventilation.

For emergency responders Remove all sources of ignition.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

FG 433-4106-7 SPRAYPAK FLYING & CRAWLING INSECT KILLER

Methods and material for containment and cleaning up

Methods for Containment	Provide adequate ventilation. Avoid sources of ignition. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).
Methods for cleaning up	Clean contaminated surface thoroughly.
Prevention of secondary hazards	Pyrethrins and pyrethroids are toxic to fish and other aquatic invertebrates. Contaminated absorbent and wash water should be disposed of according to local, state and federal regulations.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). AEROSOL STORAGE LEVEL I (NFPA-30B) .
Incompatible Materials	Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³
Pyrethrins 8003-34-7	TWA: 5 mg/m ³	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³	IDLH: 5000 mg/m ³ TWA: 5 mg/m ³

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection	Conventional eyeglasses to guard against splashing.
Skin and Body Protection	Rubber, vinyl or household type gloves required.
Respiratory protection	None required. After spraying, leave the room and keep area closed for 15 minutes. Thoroughly ventilate room before reentry. Sweep up and discard fallen insects.
General hygiene considerations	Wash hands thoroughly after handling. Read and follow the USER SAFETY RECOMMENDATIONS on the product label.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Aerosol

FG 433-4106-7 SPRAYPAK FLYING & CRAWLING INSECT KILLER

Appearance	Off-white emulsion	Odor	Cedarwood
Color	White	Odor threshold	No information available
Property	Values	Remarks • Method	
pH	Not applicable	Water-oil emulsion.	
Melting point/freezing point	Not applicable	No information available	
Boiling point/boiling range	Water 212 °F/100 °C	No information available	
Flash Point	Not Available. This is an aerosol product for which Flame Projection is 0 inches. Temperatures above 120 F may cause cans to burst.	No information available	
Evaporation Rate	Faster than butyl acetate.	No information available	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
Upper flammability limits			
Lower Flammability Limit			
Vapor pressure		No information available	
Vapor Density		No information available	
Relative Density	0.945 - 0.945 concentrate	No information available	
Water solubility		Soluble in water	
Solubility in other solvents		No information available	
Partition coefficient		No information available	
Autoignition Temperature		No information available	
Decomposition temperature		No information available	
Kinematic viscosity		No information available	
Dynamic viscosity		No information available	
Explosive properties	No information available		
Oxidizing properties	No information available		

Other Information

Softening point	No information available
Molecular weight	No information available
VOC content (%)	14.53%
Density	7.87 - 7.93 lb/gal
Bulk Density	No information available

10. Stability and Reactivity

Reactivity

Not applicable Not applicable

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization	Hazardous polymerization does not occur.
--------------------------	--

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and various other hydrocarbons.

11. Toxicological Information

Information on likely routes of exposure

Product Information

Results below are for a very similar product with same concentration of active ingredients.

FG 433-4106-7 SPRAYPAK FLYING & CRAWLING INSECT KILLER

inhalation Acute Inhalation III.
Eye Contact Primary Eye IV.
Skin contact Acute Dermal IV.
Ingestion Acute Oral IV.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
n-butane 106-97-8	-	-	= 658 g/m ³ (Rat) 4 h
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h
Piperonyl Butoxide 51-03-6	= 4570 mg/kg (Rat) = 6150 mg/kg (Rat)	> 7950 mg/kg (Rat)	-
Permethrin 52645-53-1	= 383 mg/kg (Rat) = 220 mg/kg (Rat)	> 2 g/kg (Rabbit) = 1750 mg/kg (Rat) > 5000 mg/kg (Rat)	> 0.69 mg/L (Rat) 4 h
Pyrethrins 8003-34-7	= 200 mg/kg (Rat)	= 1350 mg/kg (Rat) = 300 mg/kg (Rabbit)	= 3.4 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Prolonged and repeated contact with skin may cause allergic reactions in some individuals.
Serious eye damage/eye irritation Can cause irritation after contact with the eyes.
corrosivity Not applicable.
sensitization No a skin sensitizer.
Germ Cell Mutagenicity No information available.
carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Piperonyl Butoxide 51-03-6		Group 3		
Permethrin 52645-53-1		Group 2A Group 3		X
Pyrethrins 8003-34-7		Group 2A		X

Reproductive Toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration Hazard Not applicable.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 1.05% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated based on chapter 3.1 of the GHS document .
ATEmix (inhalation-gas) 2293333 mg/l
ATEmix (inhalation-vapor) 658 mg/l

12. Ecological Information

Not applicable under US DOT regulations.

ecotoxicity

This pesticide is extremely toxic to fish. Do not contaminate water when disposing of equipment wash waters or rinsate.

FG 433-4106-7 SPRAYPAK FLYING & CRAWLING INSECT KILLER

16.56% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum distillates, hydrotreated light 64742-47-8		45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 2.2: 96 h Lepomis macrochirus mg/L LC50 static		4720: 96 h Den-dronereides heteropoda mg/L LC50
Permethrin 52645-53-1		0.008 - 0.03: 96 h Pimephales promelas mg/L LC50 flow-through 0.001 - 0.009: 96 h Pimephales promelas mg/L LC50 static 0.015: 96 h Cyprinus carpio mg/L LC50 flow-through 0.0052 - 0.0077: 96 h Cyprinus carpio mg/L LC50 0.00079: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.0108: 96 h Lepomis macrochirus mg/L LC50 0.00188 - 0.00336: 96 h Lepomis macrochirus mg/L LC50 static 0.00049 - 0.00097: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.0017 - 0.0048: 96 h Oncorhynchus mykiss mg/L LC50 static		
Pyrethrins 8003-34-7		0.054: 96 h Oncorhynchus mykiss mg/L LC50 0.0031 - 0.0038: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.02 - 0.03: 96 h Oncorhynchus mykiss mg/L LC50 static 0.0322 - 0.0472: 96 h Lepomis macrochirus mg/L LC50 static 0.003 - 0.0046: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.074: 96 h Lepomis macrochirus mg/L LC50 0.0425 - 0.121: 96 h Pimephales promelas mg/L LC50 flow-through 0.224 - 0.458: 96 h Pimephales promelas mg/L LC50 static		

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
n-butane 106-97-8	2.89
Propane 74-98-6	2.3
Permethrin 52645-53-1	6.5

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes Dispose of in accordance with federal, state and local regulations.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
Permethrin 52645-53-1	Toxic
Pyrethrins 8003-34-7	Toxic

14. Transport Information

DOT Limited quantity (LQ) Insecticide spray

UN/ID no UN1950

Proper Shipping Name Limited quantity (LQ)

Hazard Class 2.1

Marine pollutant Not applicable under US DOT regulations.

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
Piperonyl Butoxide - 51-03-6	51-03-6	1.00	1.0
Permethrin - 52645-53-1	52645-53-1	0.4	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard yes

Chronic Health Hazard No

Fire Hazard No

Sudden release of pressure hazard No

FG 433-4106-7 SPRAYPAK FLYING & CRAWLING INSECT KILLER

Reactive Hazard

No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins 8003-34-7	1 lb			

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Pyrethrins 8003-34-7	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
n-butane 106-97-8	X	X	X
Propane 74-98-6	X	X	X
Piperonyl Butoxide 51-03-6	X		
Permethrin 52645-53-1	X	X	
Pyrethrins 8003-34-7	X	X	X

U.S. EPA Label information

EPA Pesticide registration number 498-174

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: HAZARDS TO HUMANS: Harmful if inhaled. HAZARDS TO DOMESTIC ANIMALS: DO NOT USE ON CATS. For use on dogs and puppies (over 12 weeks old). Do not use on puppies less than 12 weeks old. Read entire label before each use.

16. Other information

NFPA	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
HMIS	Health Hazards 1	Flammability 2	Physical Hazards 1	Personal Protection B - Eyes and hands protection

Prepared by Regulatory Department
Issue date 25-Aug-2015

Revision note

This SDS supersedes a previous MSDS dated August 06, 2013.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief

at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet