

MATERIAL SAFETY DATA SHEET

	1. Product and Company Identification		
Product number	870		
Product name	Vandalism Mark & Stain Remover		
Effective date	06-Jun-2008		
Company information	Claire Manufacturing 500 Vista Ave. Addison, IL 60101 United States		
Company phone	General Assistance 630-543-7600		
Emergency telephone US	800-424-9300		
Emergency telephone outside US	703-527-3887		
Version #	03		
Supersedes date	13-Nov-2007		
	2. Hazards Identification		
Emergency overview	VAPOR HARMFUL. FLAMMABLE CONTENTS UNDER PRESSURE. Aerosol. Pressurized container may explode when exposed to heat or flame. Harmful in contact with eyes. Cancer hazard. Irritating to skin. Irritating to respiratory system. Prolonged exposure may cause chronic effects.		
Potential health effects			
Routes of exposure	Ingestion. Inhalation. Skin contact.		
Eyes	Contact may irritate or burn eyes. Eye contact may result in corneal injury.		
Skin	Irritating to skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).		
Inhalation	Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Irritating to respiratory system. Prolonged inhalation may be harmful.		
Ingestion	Exposure by ingestion of an aerosol is unlikely. Harmful if swallowed. May cause delayed lung damage.		
Target organs	Kidney. Central nervous system. Liver. Lungs. Respiratory system.		
Chronic effects	Conjunctiva. Liver injury may occur. Kidney injury may occur. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage. May cause delayed lung damage.		

3. Composition / Information on Ingredients		
Components	CAS #	Percent
Methylene Chloride	75-09-2	40 - 50
n-Butane	106-97-8	20 - 30
Toluene	108-88-3	10 - 15
Perchloroethylene	127-18-4	8 - 10
Propane	74-98-6	8 - 10
Propylene Oxide	75-56-9	0.1 - 0.5
Non-hazardous and other components below reportable levels		1 - 2.5

4. First Aid Measures

First aid procedures

Eye contact

Skin contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention immediately.

Remove and isolate contaminated clothing and shoes. Wash off with warm water and soap. Get medical attention if irritation develops or persists. For minor skin contact, avoid spreading material on unaffected skin.

Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a
Ingestion	physician if symptoms develop or persist. Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
	5. Fire Fighting Measures
Flammable properties	Containers may explode when heated. Vapor or gas may spread to distant ignition sources and flash back.
Extinguishing media	
Suitable extinguishing media	Foam. Dry chemical. Carbon dioxide (CO2).
Protection of firefighters	
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Protective equipment and precautions for firefighters	In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.
	6. Accidental Release Measures
Methods for containment	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable.
Methods for cleaning up	Should not be released into the environment.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.
	7. Handling and Storage
Handling	Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Do not use if spray button is missing or defective. Use only with adequate ventilation. Do not get this material in contact with eyes. Do not get this material in contact with skin. Wear personal protective equipment. Avoid prolonged exposure.
Storage	Level 1 Aerosol. Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Avoid exposure to long periods of sunlight. Keep in an area equipped with sprinklers. Keep out of the reach of children.
8	8. Exposure Controls / Personal Protection

ACGIH					
Components	CAS #	TWA	STEL	Ceiling	
Methylene Chloride	75-09-2	50 ppm	Not established	Not established	
n-Butane	106-97-8	1000 ppm	Not established	Not established	
Toluene	108-88-3	50 ppm	Not established	Not established	
Perchloroethylene	127-18-4	25 ppm	100 ppm	Not established	
Propane	74-98-6	1000 ppm	Not established	Not established	
Propylene Oxide	75-56-9	2 ppm	Not established	Not established	

OSHA				
Components	CAS #	TWA	STEL	Ceiling
Methylene Chloride	75-09-2	25 ppm	125 ppm	Not established
Toluene	108-88-3	200 ppm	Not established	300 ppm
Perchloroethylene	127-18-4	100 ppm	Not established	200 ppm
Propane	74-98-6	1000 ppm	Not established	Not established
Propylene Oxide	75-56-9	100 ppm	Not established	Not established
Personal protective equipment				
Eye / face protection				
Skin protection	Wear appropriate chemical resistant clothing. Protective gloves.			
Respiratory protection	Wear pos	sitive pressure self-cont	ained breathing apparatus (SCBA).
	9. Ph	ysical & Chemical	Properties	
Appearance	Not avail	able		
Boiling point	102.2 °F	(38.9 °C) estimated		
Color	Pale yelle	WC		
Flammability (HOC)	18.61 kJ/	g estimated		
Flash back	Yes			
Flash point	sh point -156 °F (-104.4 °C) estimated			
Form	m Aerosol.			
Odor	Solvent.			
рН	Not appli	cable		
Physical state	Liquid.			
Pressure	25 - 35 p	sig @ 70F		
Solubility	Negligible	e		
Specific gravity	0.8934 e	stimated		
	10. Chemic	al Stability & Read	tivity Information	
Chemical stability	Risk of ig	nition. Stable at normal	conditions.	
Conditions to avoid	tions to avoid Heat, flames and sparks.			
Hazardous decomposition proc	lucts Hydrogei	n chloride. Irritants. Toxi	c gas. May include oxides o	of oxides of carbon.
	11	. Toxicological Inf	ormation	
Acute effects		50: 85 mg/l/4h estimate 50: 55930 mg/kg estimate		
Sensitization	Acute LD50: 55930 mg/kg estimated, Rat, Dermal Not expected to be hazardous by OSHA criteria.			
Carcinogenicity	Hazardous by OSHA criteria.			
Reproductive effects	Not expected to be hazardous by OSHA criteria.			
Teratogenicity		cted to be hazardous by		
12. Ecological Information				
Ecotoxicity	EC50 36	LC50 32.61 mg/L estimated, Fish, 96.00 Hours, EC50 36.97 mg/L estimated, Daphnia, 48.00 Hours, IC50 2641 mg/L estimated, Algae, 72.00 Hours,		
	13	8. Disposal Consid	erations	
Waste codes	D018: W D039: W	aste Benzene aste Tetrachloroethylen		
Disposal instructions	special w supplies.	aste collection point. Do		

14. Transport Information

Department of Transportation (DOT) Requirements	
Basic shipping requirements:		
Proper shipping name	Consumer commodity	
Hazard class	ORM-D	
Subsidiary hazard class	None	
Additional information:		
Packaging exceptions	156, 306	
Packaging non bulk	156, 306	
Packaging bulk	None	
IMDG		
Basic shipping requirements:		
Proper shipping name	AEROSOLS	
Hazard class	2.1	
Subsidiary hazard class	6.1	
UN number	1950	
Marine pollutant	Tetrachloroethylene	
Additional information:		2
Packaging exceptions	NOT a LTQ QTY	
Labels required	2.1, 6.1	
ΙΑΤΑ		
Basic shipping requirements:		
Proper shipping name	Aerosols, flammable, containing substances in Division 6.1, Packing Group III	
Hazard class	2.1	<u>~</u>
Subsidiary hazard class	6.1	
UN number	1950	
Additional information:		
Packaging exceptions	LTD QTY	

15. Regulatory Information

US federal regulations

Methylene Chloride

Perchloroethylene

Propylene Oxide Toluene This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

75-09-2	0.1 % de minimis concentration
127-18-4	0.1 % de minimis concentration
75-56-9	0.1 % de minimis concentration
108-88-3	1.0 % de minimis concentration

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous Yes chemical

CERCLA (Superfund) reportable quantity

Methylene Chloride: 1000.0000 Toluene: 1000.0000 Perchloroethylene: 100.0000 Propylene Oxide: 100.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categoriesImmediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - Yes
Pressure Hazard - Yes
Reactivity Hazard - NoSection 302 extremely
hazardous substanceNoSection 311 hazardous chemical
Yes

Inventory status			
Country(s) or region	Inventory name On inventory (yes/no)*		
China	Inventory of Existing Chemical Substances in China (IECSC)		
Europe	European Inventory of New and Existing Chemicals (EINECS) No		
Europe	European List of Notified Chemical Substances (ELINCS) Yes		
Japan	Inventory of Existing and New Chemical Substances (ENCS) No		
Korea	Existing Chemicals List (ECL) No		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes	
A "Yes" indicates that all compon	ents of this product comply with the inventory requirements administered by	the governing country(s)	
State regulations	WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.		
U.S Pennsylvania - RTK (Rigl	nt to Know) List		
Methylene Chloride n-Butane Perchloroethylene Propane Propylene Oxide Toluene	75-09-2Environmental hazard; Special hazardous substance106-97-8Present127-18-4Environmental hazard; Special hazardous substance74-98-6Present75-56-9Environmental hazard; Special hazardous substance108-88-3Environmental hazard		
	16. Other Information		
HMIS® ratings	Health: 2* Flammability: 2 Physical hazard: 0		
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication, The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.		
MSDS sections updated	Hazards Identification: Emergency overview Handling and Storage: Storage Physical & Chemical Properties: Fire Fighting Measures Transport Information: Product Shipping Name/Packing Grou	p	