

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier**

**Product Name** United 173 WASP WACKER

**Other means of identification**

**SDS#** UNITED 173

**Recommended use of the chemical**

**And restrictions on use**

**Recommended use** Long Range Wasp Jet Spray  
**Uses Advised Against** For industrial and institutional use only.

**Details of the supplier of the safety data sheet**

**Company Name**

United Laboratories, Inc.  
 320 37th Avenue  
 St. Charles, IL 60174  
 www.unitedlabsinc.com  
 www.unitedlabsinc.ca

**Emergency telephone number**

**Company Phone Number** 800-323-2594 (to reorder)  
**Emergency Telephone** INFOTRAC 1-800-535-5053 (North America)  
 1-352-323-3500 (International)

## 2. HAZARDS IDENTIFICATION

**Classification**

**OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|  |                             |
|--|-----------------------------|
| Acute toxicity - Oral                            | Category 5                  |
| Acute toxicity - Dermal                          | Category 5                  |
| Specific target organ toxicity (single exposure) | Category 3 Narcotic Effects |
| Flammable Aerosols                               | Category 1                  |

**Label elements**

**Emergency Overview**

# Danger

**Hazard statements**

Extremely flammable aerosol. May cause dizziness or drowsiness.

**Appearance** Colorless**Physical state** Aerosol**Odor** Solvent**Prevention**

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Use only outdoors or in a well-ventilated area.

**Response**

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison control center/physician if you feel unwell.

**Storage**

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)**

Not classified.

**Environmental hazards**

Hazardous to the aquatic, acute hazard and long-term hazard: Category 3

**Supplemental information****Hazard statement**

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

**Prevention**

Avoid release to the environment.

11.62% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 11.62% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                             | CAS No.    | Weight-% | Trade Secret |
|---|------------|----------|--------------|
| Synthetic Isoparaffinic Hydrocarbon       | 64742-47-8 | 80-90    | *            |
| Isopropyl Alcohol                         | 67-63-0    | 2.5-10   | *            |
| Carbon Dioxide                            | 124-38-9   | 2.5-10   | *            |
| Tetramethrin                              | 7696-12-0  | .1-1     | *            |
| d-Phenothrin                              | 26002-80-2 | .1-1     | *            |
| Other components below report able levels |            | 1-2.5    | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

##### First aid measures

##### Skin Contact

Remove and isolate contaminated clothing and shoes. Wash off immediately with water for at least 15 minutes. Get medical attention immediately. For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately before reuse.

##### Eye contact

Immediately flush with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. If symptoms persist, call a physician.

##### Inhalation

If inhalation of gas/fume/vapor/dust/mist from the material is excessive (air concentration is greater than the TLV or health effects are noticed), immediately remove the affected person(s) to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if individual inhaled the substance. Call poison control or physician immediately. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately.

##### Ingestion

If material is ingested, contact poison control immediately. In the unlikely event of swallowing, contact a physician or poison control center. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Rinse mouth. Drink plenty of water. Do not use mouth-to-mouth method if individual ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with one-way valve or other proper respiratory medical device.

##### Most important symptoms and effects, both acute and delayed

May cause dizziness and drowsiness

##### Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep individual warm. Keep individual under observation. Symptoms may be delayed.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient and could spread fire.

##### Specific hazards arising from the chemical

Heat may cause the containers to explode. Pressurized container may explode when exposed to heat or flame.

##### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### Protective equipment and precautions for firefighters

In the event of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up, even after fire is out. If there is no risk, move containers from fire area. Wear self-contained breathing apparatus, SCBA, with full protective clothing in chemical fires.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

**Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so. Move the container to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

**Methods for cleaning up** Dam up. Use personal protective equipment as required. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly to remove residual contamination. Should not be released in the environment.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition. Do not put in direct sunlight. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. . Contents under pressure. Do not puncture or incinerate cans. Avoid breathing vapors or mists and contact with eyes.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep tightly closed in a dry and cool place, with area equipped with sprinklers. Do not puncture, incinerate or crush. Keep away from heat and sources of ignition. Avoid exposure to direct sunlight. Keep in properly labeled containers.

**Incompatible materials** None known based on information supplied.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines** No Exposure limits noted for ingredient(s).

| Chemical Name                | ACGIH TLV                        | OSHA PEL   | NIOSH IDLH  |
|------------------------------|----------------------------------|--|---|
| Isopropyl Alcohol<br>67-63-0 | STEL: 400 ppm<br>TWA: 200 ppm    | TWA: 400 ppm<br>TWA: 980 mg/m <sup>3</sup><br>(vacated) TWA: 400 ppm<br>(vacated) TWA: 980 mg/m <sup>3</sup><br>(vacated) STEL: 500 ppm<br>(vacated) STEL: 1225 mg/m <sup>3</sup>          | IDLH: 2000 ppm<br>TWA: 400 ppm<br>TWA: 980 mg/m <sup>3</sup><br>STEL: 500 ppm<br>STEL: 1225 mg/m <sup>3</sup>       |
| Carbon Dioxide<br>124-38-9   | STEL: 30000 ppm<br>TWA: 5000 ppm | TWA: 5000 ppm<br>TWA: 9000 mg/m <sup>3</sup><br>(vacated) TWA: 10000 ppm<br>(vacated) TWA: 18000 mg/m <sup>3</sup><br>(vacated) STEL: 30000 ppm<br>(vacated) STEL: 54000 mg/m <sup>3</sup> | IDLH: 40000 ppm<br>TWA: 5000 ppm<br>TWA: 9000 mg/m <sup>3</sup><br>STEL: 30000 ppm<br>STEL: 54000 mg/m <sup>3</sup> |

NIOSH IDLH *Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

**Individual protection measures, such as personal protective equipment**

- Eye/face protection** Wear safety glasses: if splashing is possible wear chemical safety goggles.
- Skin and body protection** No special technical protective measures are necessary. Wear protective gloves and protective clothing. Prolonged contact may cause redness and irritation. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations.

**General Hygiene** When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

**Physical state** Aerosol  
**Appearance** Clear  
**Color** Colorless  
**Odor** Solvent  
**Odor threshold** No Information available

| <u>Property</u>               | <u>Values</u>              | <u>Remarks • Method</u> |
|-------------------------------|----------------------------|-------------------------|
| pH                            | Not an Aqueous Solution    |                         |
| Specific Gravity              | .829                       |                         |
| Viscosity                     | Water Thin                 |                         |
| Melting point/freezing point  | No Information available   |                         |
| Flash point                   | 100 °C 212.15 °F           |                         |
| Boiling point / boiling range | No Information available   |                         |
| Evaporation rate              | No Information available   |                         |
| Flammability (solid, gas)     |                            |                         |
| Flammability Limits in Air    |                            |                         |
| Upper flammability limit:     | No Information available   |                         |
| Lower flammability limit:     | No Information available   |                         |
| Vapor pressure                | 90-110 psig @70F estimated |                         |
| Vapor density                 | No Information available   |                         |
| Water solubility              | No Information available   |                         |
| Partition coefficient         | No Information available   |                         |
| Autoignition temperature      | No Information available   |                         |
| Decomposition temperature     | No Information available   |                         |

**Other Information**

**Density Lbs/Gal** 6.91  
**VOC Content (%)** 9

**10. STABILITY AND REACTIVITY**

**Reactivity**

No data available

**Chemical stability**

Risk of ignition. Stable at normal conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Heat, flames and sparks.

**Hazardous Decomposition Products**

No hazardous decomposition products are known.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

**Product Information**

- Inhalation** Prolonged inhalation may be harmful. Narcotic effects.
- Eye contact** Avoid contact with eyes. Direct contact may cause serious eye irritation.
- Skin Contact** Avoid contact with skin. May cause irritation.
- Ingestion** Expected to be a low ingestion hazard.

| Chemical Name                | Oral LD50            | Dermal LD50             | Inhalation LC50                       |
|------------------------------|----------------------|-------------------------|---------------------------------------|
| Isopropyl Alcohol<br>67-63-0 | = 1870 mg/kg ( Rat ) | = 4059 mg/kg ( Rabbit ) | = 72600 mg/m <sup>3</sup> ( Rat ) 4 h |
| Tetramethrin<br>7696-12-0    | = 4640 mg/kg ( Rat ) | > 2500 mg/kg ( Rat )    | > 2500 mg/m <sup>3</sup> ( Rat ) 3 h  |

**Information on toxicological effects**

**Symptoms** No Information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

- Sensitization** As per OSHA criteria, not expected to be hazardous.
- Germ cell mutagenicity** As per OSHA criteria, not expected to be hazardous.
- Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name                | ACGIH | IARC     | NTP | OSHA |
|------------------------------|-------|----------|-----|------|
| Isopropyl Alcohol<br>67-63-0 | -     | Group 3  | -   | X    |
| Tetramethrin<br>7696-12-0    | -     | Group 2A | -   | X    |
| d-Phenothrin<br>26002-80-2   | -     | Group 2A | -   | X    |

**IARC (International Agency for Research on Cancer)**  
 Group 2A - Probably Carcinogenic to Humans  
 Not classifiable as a human carcinogen  
**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**  
 X - Present

**Reproductive toxicity** No Information available.

**STOT - single exposure** No Information available.  
**STOT - repeated exposure** No Information available.  
**Target organ effects** Central Vascular System (CVS), EYES, Respiratory system, Skin.  
**Aspiration hazard** No Information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 5.675% of the mixture consists of ingredient(s) of unknown toxicity

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Components of this product have been identified as having potential environmental concerns.

**Persistence and degradability**

No Information available.

**Bioaccumulation**

No Information available.

| Chemical Name                | Partition coefficient |
|------------------------------|-----------------------|
| Isopropyl Alcohol<br>67-63-0 | 0.05                  |
| Tetramethrin<br>7696-12-0    | 4.73                  |

**Other adverse effects** No Information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

**14. TRANSPORT INFORMATION**

This product meets the exception requirements of Section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity-ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/2020 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

**DOT**

**UN/ID No.** UN1950  
**Proper shipping name** Aerosols, flammable  
**Hazard Class** 2.1

**IATA**

Please contact manufacturer for most current information.

**IMDG**

**UN/ID No.** UN1950  
**Proper shipping name** Aerosols  
**Hazard Class** 2.1  
**Environmental Class**  
**Marine Pollutant** No

**15. REGULATORY INFORMATION**

**International Inventories**

TSCA Complies  
 DSL/NDSL Complies

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name             | SARA 313 - Threshold Values % |
|---------------------------|-------------------------------|
| Isopropyl Alcohol 67-63-0 | 1.0                           |

**SARA 311/312 Hazard Categories**

Acute health hazard Yes  
 Chronic Health Hazard No  
 Fire hazard Yes  
 Sudden release of pressure hazard Yes  
 Reactive Hazard No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**FIFRA Information**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label also includes other important information, including directions for use. CAUTION: Harmful if absorbed through skin. Moderately irritating to the eyes.

**U.S. State Right-to-Know Regulations**

| Chemical Name                | New Jersey | Massachusetts | Pennsylvania |
|------------------------------|------------|---------------|--------------|
| Isopropyl Alcohol<br>67-63-0 | X          | X             | X            |
| Carbon Dioxide<br>124-38-9   | X          | X             | X            |
| Tetramethrin<br>7696-12-0    | X          | -             | -            |

**16. OTHER INFORMATION**



|                    |                   |                |                    |                                      |
|--------------------|-------------------|----------------|--------------------|--------------------------------------|
| <b><u>NFPA</u></b> | Health hazards 1  | Flammability 4 | Instability 0      | Physical and Chemical Properties Yes |
| <b><u>HMIS</u></b> | Health hazards 1* | Flammability 4 | Physical hazards 0 | Personal protection B                |

Issue Date 11-Apr-2015

Revision Date 4-May-2015

**Revision Note**

No Information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**