



## MATERIAL SAFETY DATA SHEET

Revised/Reviewed: March 23, 2010

### SPRAY LUBE

An anti-corrosive, non-greasy, steam-compatible surgical instrument lubricant.

#### Section 1- Product and Company Information

Manufactured for: Miltex, Inc., 589 Davies Drive, York, PA 17402

Information: 717-840-9335, 717-840-9347 (fax)

Chemical Name & Synonyms: --

Chemical Formula: --

#### Section 2 – Composition/ Information on Ingredients

The material is a blend of Paraffinic Mineral Oil, emulsifier, and preservatives.

Paraffinic Mineral Oil, CAS # 8042-47-5, 6-percent, PEL and TLV are 5-mg/m<sup>3</sup> 8-hour time-weighted average.

#### Section 3 - Health Identification

Over exposure can cause eye irritation, prolonged skin contact may cause local irritation, and ingestion may cause irritation. With inhalation, no hazards are anticipated under normal conditions of use.

Primary Route(s) of Entry: Eye, Skin, and Ingestion.

Carcinogen: No known carcinogenic effects.

Medical Conditions Aggravated by Exposure: None known.

#### Section 4 - First Aid Measures

Eyes: Flush with tepid water for at least 15 minutes. If irritation persists, seek medical attention.

Skin: If in contact with skin, flush affected area and wash with mild soap and water. Launder any contaminated clothing before reuse.

Ingestion: Give two glasses of water. Induce vomiting. Do not give anything to an unconscious or convulsing person. Seek medical attention.

Inhalation: if any ill effects are noticed, remove person to fresh air.

#### Section 5 – Fire Fighting Measures

Flash Point (Test Method): Greater than 330°F

Flammable Limits- LEL: Not established                      UEL: Not established

Extinguishing Media: Foam, dry chemical, or carbon dioxide.

Special fire Fighting Procedures: None.

Unusual fire and Explosion Hazards: None.

## Section 6 - Physical and Chemical Properties

Physical State: Liquid at ambient temperature.

Appearance and Odor: Milky white emulsion with a hydrocarbon odor.

Boiling Point (°C): >100 (212°F)

Specific Gravity (Water=1): 0.999

Evaporation Rate (butyl acetate= 1) : <1

Vapor Pressure (mm Hg): Not determined

Vapor Density (Air=1): Not determined

Solubility in Water: Emulsifiable

% Volatile by Volume @ 110°C: 95

## Section 7 – Stability and Reactivity

Stability: Stable

Conditions to Avoid: Contact with strong oxidizing agents

Incompatibility/Materials to Avoid: Strong oxidizing agents

Hazardous Polymerization: Will not occur

Hazardous Decomposition Products: Carbon monoxide

## Section 8 – Accidental Release, Disposal, and Ecological Information

Spill Response: Stop spill. Dike are and soak up spilled liquid with absorbent material and place into a chemical waste container for disposal.

Waste Disposal Method: dispose of in accordance with all applicable federal, state, and local regulations.

Ecological, General: Not determined

## Section 9 – Exposure Controls/ Personal Protection

Eye Protection: Protective glasses or goggles

Respiratory Protection: Not required under normal conditions of use

Ventilation Recommendations: General room ventilation is normally sufficient

Skin Protection: Rubber or plastic gloves as required to minimize skin contact.

Other: None.

## Section 10 – Storage and Handling

Storage: Keep in a cool, dry place. Do not store in a hot environment.

Handling: Keep out of reach of children. Keep container closed when not in use.

## Section 11 – Miscellaneous

Transportation Information: Not a DOT hazardous material.

Other: HMIS F=0, H=0, R=0, and no specific equipment

Liability Disclaimer: MSDS information is provided based on OSHA's Hazardous Communication Regulation and for use of the persons required to receive this information under this regulation. The information is neither designed nor recommended for any other use or for use by any other person, including compliance with other laws. Miltex does not warrant the suitability for use of this MSDS for any other material or product not specifically identified herein. Miltex does not warrant the accuracy or authenticity of this MSDS unless it has been obtained directly from Miltex, or posted or viewed on a Miltex website. This MSDS is based on information that is believed to be reliable, but may be subject to change as new information becomes available. Because it is not possible to anticipate all conditions of use, additional safety precautions may be required. Since the use of this material is not under Miltex's control, each user is responsible for making their own determination as to the safe and proper handling of this material in their own particular use of this material. Miltex makes no representation or warranty, either express or implied, including as to merchantability or fitness for a particular purpose.