

# MATERIAL SAFETY DATA SHEET

---

## SECTION 1. Product and Company Identification BLUE STREAK FLY BAIT

---

PRODUCT CODE: 270-255-BLUE, REFERENCE #: 39910

PRODUCT NAME: BLUE STREAK FLY BAIT

CHEMICAL FAMILY: Compound

SYNONYMS

Apache, Die Fly, Musca-cide

MANUFACTURER NAME AND ADDRESS:

Farnam Companies, Inc.

301 West Osborn Road

Phoenix, AZ. 85013

24 hour emergency number

Business hours

Marketing

TELEPHONE NUMBERS:

(602)285-1660

(602)234-2269

(602)285-1660

DATES:

Date Entered: 07/18/1990

Revision: 04/24/2001

Printed: 04/04/2003

---

## SECTION 2. Composition/Information on Ingredients

### BLUE STREAK FLY BAIT

HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY/COMMON NAME)	CAS #	PERCENTAGE
Methomyl {Ethanimidothioic acid, n-[[[(methylamino)carbonyl]	16752-77-5	1.0 - 1.1
Z-9 TRICOSENE 96%	27519-02-4	0.1 - 0.1

## SECTION 3. Hazards Identification

### BLUE STREAK FLY BAIT

#### EMERGENCY OVERVIEW

ROUTE(S) OF ENTRY: Inhalation? Yes , Skin? Yes , Eyes? Yes , Ingestion? Yes , Other:

POTENTIAL HEALTH EFFECTS (ACUTE AND CHRONIC)

Oral LD-50 (rat): male: 2455 mg/kg, female: 3236 mg/kg

Dermal LD-50 (rabbit): males and females: >>2000 mg/kg

Inhalation (rat): >>1.25 mg/1 (maximum attainable concentration)

Primary eye irritation (rabbit): EPA catagory IV (minimal effect, clearing less than 24 hours)

Primary dermal irritation (rabbit): material not primary dermal irritant.

Dermal sensitization (guinea pig-Beuhler): material is not a dermal sensitizer.

Primary routes of entry: PRIMARY oral; also inhalation of fine particulates.

CARCINOGENICITY: NTP? , IARC Monographs? , OSHA

CARCINOGENICITY/OTHER INFORMATION

RECOMMENDED EXPOSURE LIMITS: (methyomyl) 2.5 mg/m3 LD 50/LC 50: see above

SIGNS AND SYMPTOMS OF EXPOSURE

Sweating, salivation, nausea, stomach pains, vomiting, diarrhea, headache, constricted pupils, "tightness" in chest, ataxia, cyanosis, pulmonary edema.

## SECTION 4. First Aid Measures

### BLUE STREAK FLY BAIT

#### EMERGENCY AND FIRST AID PROCEDURES

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do NOT induce vomiting. Drink two glasses of water. Never induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove patient to fresh air. If not breathing, give mouth to mouth resuscitation and call a physician immediately.

IF IN EYES: Flush with water for at least 15 minutes. Call a physician immediately.

IF ON SKIN: Remove contaminated clothing and wash skin with soap and water. If irritation persists, call a physician. Launder contaminated clothing before re-use.

NOTE TO PHYSICIAN: Methomyl is a cholinesterase inhibitor. Atropine is antidotal.

NOTE TO PHYSICIAN

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Cholinesterase depression

## SECTION 5. Fire Fighting Measures

### BLUE STREAK FLY BAIT

FLASH PT: NE or NA METHOD USED:

EXPLOSIVE LIMITS: LEL: NT UEL: NT

EXTINGUISHING MEDIA

Agent suitable for surrounding fire, i.e., CO2, foam, or water spray. Water spray may increase contamination hazard.

FIRE FIGHTING INSTRUCTIONS

Keep out of smoke, fight fires form upwind, use self-contained breathing apparatus. Contain runoff to prevent entry into sewers or waterways.

FLAMMABLE PROPERTIES AND HAZARDS

Equipment or materials involved in pesticide fires may become contaminated. Material will ignite if exposed to intense heat or open flame. Fire or intense heat may rupture containers.

HAZARDOUS COMBUSTION PRODUCTS

SECTION 6. Accidental Release Measures

BLUE STREAK FLY BAIT

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Small amounts may be swept up and spread in planned use ares as directed on label, or place in container for disposal.

SECTION 7. Handling and Storage

BLUE STREAK FLY BAIT

HAZARD LABEL INFORMATION:

Store away from incompatible material   Wash thoroughly after handling

PRECAUTIONS TO BE TAKEN IN HANDLING

Avoid breathing dust, avoid contact with skin, eyes, clothing. Store in cool, dry area specifically designated for pesticides, and away from feed, food, sparks and open flame.

PRECAUTIONS TO BE TAKEN IN STORING

OTHER PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

WORK/HYGIENIC/MAINTENANCE PRACTICES

Wash hands after handling and before eating, smoking or using restroom.

SECTION 8. Exposure Controls/Personal Protection

BLUE STREAK FLY BAIT

PROTECTIVE EQUIPMENT SUMMARY - HAZARD LABEL INFORMATION

NIOSH/MSHA approved respirator	Neoprene gloves	Safety glasses
--------------------------------	-----------------	----------------

RESPIRATORY EQUIPMENT (SPECIFY TYPE)

None for ordinary use. NIOSH organic vapor respirator in dusty conditions

EYE PROTECTION

none for ordinary handling use

PROTECTIVE GLOVES

Nonwoven

OTHER PROTECTIVE CLOTHING

None

ENGINEERING CONTROLS (VENTILATION ETC.)

Local Exhaust:

Special:

Mechanical (Gen): necessary

Other:

SECTION 9. Physical and Chemical Properties

BLUE STREAK FLY BAIT

PHYSICAL STATES:

BOILING POINT:

[ ] Gas , [ ] Liquid , [ X ] Solid

NE or NA

MELTING POINT:NE or NA

SPECIFIC GRAVITY (WATER = 1):>1

VAPOR PRESSURE (VS. AIR OR MM HG):

VAPOR DENSITY (VS. AIR = 1):

EVAPORATION RATE (VS BUTYL ACETATE=1):

SOLUBILITY IN WATER:>99%

OTHER SOLUBILITY NOTES:Soluble

PERCENT VOLATILE:NE or NA

PH:5.8(10%sol

APPEARANCE AND ODOR

Blue granular solid; characteristic nitrogenous odor.

SECTION 10. Stability and Reactivity

BLUE STREAK FLY BAIT

STABILITY: Unstable [ ] Stable [ X ]

CONDITIONS TO AVOID - INSTABILITY

Sparks and open flames; prolonged exposure to high temperatures.

INCOMPATIBILITY - MATERIALS TO AVOID

Oxidizers, reactive metals.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

HCl, phosgene, nitrogen oxides, CO, CO2.

HAZARDOUS POLYMERIZATION: Will occur [ ] Will not occur [ X ]

CONDITIONS TO AVOID - HAZARDOUS POLYMERIZATION

Will not occur.

SECTION 11. Toxicological Information

BLUE STREAK FLY BAIT

CHRONIC TOXICOLOGICAL EFFECTS

SECTION 12. Ecological Information

BLUE STREAK FLY BAIT

SECTION 13. Disposal Considerations

BLUE STREAK FLY BAIT

WASTE DISPOSAL METHOD

Pesticide Disposal: Pesticides that cannot be used according to label must be disposed of according to applicable Federal, State and local regulations.

Container Disposal: Container may be triple rinsed then offered for recycling or reconditioning, or punctured and disposed of in a sanitary landfill or by other approved State and local procedures.

SECTION 14. Transport Information


BLUE STREAK FLY BAIT

DOT PROPER SHIPPING NAME

DOT HAZARD LABEL: None  
UN/NA NUMBER:  
ADDITIONAL TRANSPORT INFORMATION

SECTION 15. Regulatory Information  
BLUE STREAK FLY BAIT

SECTION 16. Other Information  
BLUE STREAK FLY BAIT

NFPA HAZARD RATINGS:			Minimal: 0 Slight: 1 Moderate: 2 Serious: 3 Extreme: 4
Health:	0		
Flammability:	1		
Instability:	1		
Special Hazard:			

IMPORTANT: The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification.