



ENFORCER Products
 A Division of Acuity Specialty Products
 Group, Inc.
 P.O. Box 1060
 Cartersville, GA 30120
 1-888-805-HELP
 www.zepcommercial.com

Material Safety Data Sheet and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification

Product name Carpet Spot Cleaner
Product Code HD019524
Date of issue 04/04/07 **Supersedes** 05/26/05

Emergency Telephone Numbers **For a Medical Emergency:**
 INFOTRAC
 (877) 541-2016 (Toll Free - Calls Recorded)

For a Transportation Emergency:
 CHEMTREC
 (800) 424-9300 (Toll Free - Calls Recorded)

Printing Date:

Prepared by Compliance Services Group
 Acuity Specialty Products Group
 1420 Seaboard Industrial Blvd.
 Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

Name of Hazardous Ingredients	CAS #	% by Weight	Exposure Limits
ETHYLENE GLYCOL MONOBUTYL ETHER; 2-butoxyethanol; butyl cellosolve	111-76-2	15 - 25	ACGIH TLV (United States). TWA: 20 ppm 8 hour(s). OSHA PEL (United States). Skin TWA: 50 ppm 8 hour(s).
BLEND OF ISOBUTANE & PROPANE	74-98-6; 75-28-5	25 - 35	ACGIH TLV (United States). TWA: 800 ppm 8 hour(s). OSHA PEL (United States). TWA: 1000 ppm 8 hour(s).

Section 3. Hazards Identification

Acute Effects **Routes of Entry** Dermal contact. Eye contact. Inhalation.
Skin Harmful if absorbed through the skin. Prolonged or repeated contact may dry skin and cause irritation. Skin inflammation is characterized by itching, scaling, or reddening.
Eyes Causes eye irritation. Inflammation of the eye is characterized by redness, watering, and itching.
Inhalation Over-exposure by inhalation may cause respiratory irritation. Can cause central nervous system depression.
Ingestion Ingestion not likely under normal use conditions.

HMIS	
Health	1
Fire Hazard	0
Reactivity	0
Personal Protection	B

Carcinogenic Effects Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Chronic Effects Repeated or prolonged exposure to the substance can produce damage to blood, kidneys, liver, upper respiratory tract, central nervous system (CNS). Overexposure of this product by inhalation or absorption can produce central nervous system depression resulting in headache, nausea and/or dizziness.

See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Skin Contact In case of contact, immediately flush skin with plenty of water. Get medical attention if irritation develops.
Inhalation If inhaled, remove to fresh air. If irritation persists, get medical attention.
Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flash Point Not applicable. **Flammable Limits** Not applicable.

Flammability Non-flammable. (CSMA Method)

Fire Hazard CONTENTS UNDER PRESSURE. In a fire or if heated, a pressure increase will occur and the container may burst.

Fire-Fighting Procedures Cool closed containers exposed to fire with water.

**Section 6. Accidental Release Measures**

Spill Clean up Large spills are unlikely due to packaging.

Section 7. Handling and Storage

Handling Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Wash thoroughly after handling. Observe label precautions.

Storage CONTENTS UNDER PRESSURE. Do not puncture or incinerate container. Keep container in a cool, well-ventilated area. Store below 120°F. Keep out of the reach of children.

Section 8. Exposure Controls, Personal Protection**Personal Protection****Protective Clothing (Pictograms)**

Eyes Safety glasses.

Body Recommended: Nitrile gloves. Rubber gloves. Neoprene gloves.

Respiratory Use with adequate ventilation. A respirator is not needed under normal and intended conditions of product use.

**Section 9. Physical and Chemical Properties**

Physical State Liquid. (Aerosol.) **Color** Clear. Colorless.

pH 8.5 - 9.5 **Odor** Butyl.

Boiling Point 100°C (212°F) **Vapor Pressure** Not determined.

Specific Gravity 0.996 (Water = 1) **Vapor Density** >1 (Air = 1)

Solubility Soluble in cold water, hot water. **Evaporation Rate** 1 compared to Water

VOC (Consumer) 249 (g/l). 2.07 lbs/gal 25.00%

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Incompatibility Slightly reactive to reactive with oxidizing agents, acids.

Hazardous Polymerization Will not occur.

Hazardous Decomposition Products Carbon oxides (CO, CO₂) and organic chemicals.

Section 11. Toxicological Information

Toxicity to Animals **Ethylene Glycol Monobutyl Ether:**

ORAL (LD50): Acute: 1746 mg/kg [Rat].

DERMAL (LD50): Acute: 680 mg/kg [Rabbit].

VAPOR (LC50): Acute: 450 ppm 4 hour(s) [Rat (Female)].

Section 12. Ecological Information

Ecotoxicity Not available.

Biodegradable/OECD Not available.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream Non-hazardous waste

Consult your local or regional authorities.

Section 14. Transport Information

Proper shipping name Consumer Commodity

DOT Classification ORM-D

UN number Not applicable.

TDG Classification Consumer Commodity ORM-D

Section 15. Regulatory Information

U.S. Federal Regulations SARA 313 toxic chemical notification and release reporting:

Ethylene Glycol Monobutyl Ether

Clean Water Act (CWA) 311: No products were found.

Clean air act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA inventory.

State Regulations California prop. 65: No products were found.

WHMIS (Canada)

WHMIS Class A: Compressed gas.

Class D-2B: Material causing other toxic effects (TOXIC).

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.