MATERIAL	SAFE	TY D	ATA	SH	IEE	T		
SECTION 1 - PROD	UCT AND	COMPAN	IDEN	NTIFICA	TION			
PRODUCT NAME: SLIME Super Duty Tire S	ealant	·····						
GENERAL USE: Sealant						Sli	me)	
PRODUCT DESCRIPTION: Green paste with black sp Orange or Yellow in color	oecks, slight odd	or; may also be	Blue, Wh	ite,				
MANUFACTURER'S NAME	DATE PREPARED: March 10, 2005 Page 1 of 4					l of 4		
Accessories Marketing, Inc. ADDRESS (NUMBER, STREET, P.O. BOX)		SUPERSED TELEPHON		October !	-,		i ugo	
800 Farroll Road		(805) 489-0490						
(CITY, STATE AND ZIP CODE) Grover Beach, CA 93433	COUNTRY EMERGENCY TELEPHONE NU USA ChemTel Inc. 1- (800) 255-393				+ 01 (813	) 248-058	5	
DISTRIBUTOR'S NAME							<u> </u>	-
Same ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHON	IE NUMB		FORMA	TION		
		TELEPHONE NUMBER FOR INFORMATION						
(CITY, STATE AND ZIP CODE)	COUNTRY	EMERGEN	CY IELE	PHONE N	JMBER			
SECTION 2	? - HAZARL				r			
HAZARDOUS COMPONENTS	CAS #	%		IA PEL		H TWA	SARA	RQ LBS
		(by weight)	PPM	MG/M3	PPM	MG/M3		
No hazardous materials present as defined by OSHA -								
29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302,								
355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.								
Directive 917 1337 LEC.								
					· · · · · · · · · · · · · ·	····		
SECTION .	3 - HAZARI	JS IDENTI	FICAT	ION				
EMERGENCY OVERVIEW Mild paste, ingestion may cause gastric distress.								
POTENTIAL HEALTH EFFECTS								
INHALATION: None expected, however, certain indivi	duals may expe	rience minor na	usea or h	neadaches				
SKIN: None expected, however, prolonged contact ma	av cause irritatio	n.						
	,							
EYES: Contact with eyes may cause irritation.								
INGESTION: May cause gastric distress, vomiting and	d diarrhea.							
CARCINOGENICITY	NTP	? No	IARC MC	ONOGRAPHS?	No	OSHA F	REGULATED?	No

MATERIAL SAFETY DATA SHEET			
PRODUCT NAME: SLIME Super Duty Tire Sealant			
March 10, 2008	V 4 - FIRST AID MEASURES	Page 2 of 4	
INHALATION: Remove affected person to fresh air; if s			
SKIN: Remove contaminated clothing; wash affected a persists, seek medical attention.	area with soap and water; launder contaminated clothing before reuse	; if irritation	
EYES: Remove contact lenses. Flush eves with water	for 15 minutes; if irritation persists, seek medical attention.		
,			
INGESTION: Give two glasses of water for dilution; DC medical attention.	D NOT induce vomiting; never give anything by mouth to an unconsci	ous person; seek	
SECTION 5	- FIRE FIGHTING MEASURES		
FLASH POINT (METHOD USED)	FLAMMABLE LIMITS LEL: Not applicable UEL:	Not applicable	
Non-flammable		CLASS: None	
GENERAL HAZARDS: Product is not considered flami hydrogen and oxygen, including carbon monoxide.	mable or combustible. Products of combustion include compounds o	f carbon,	
EXTINGUISHING MEDIA			
Carbon dioxide, water, water fog, dry chemical, chem	lical foam		
FIRE FIGHTING PROCEDURES Keep containers cool with water spray to prevent con	tainer rupture due to steam buildup; floor will become slippery if mate	rial is released.	
UNUSUAL FIRE AND EXPLOSION HAZARDS None			
HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes, oxides of carbon			
SECTION 6 - ENVI	RONMENTAL RELEASE MEASURES		
	ASED OR SPILLED: Small spills - wash to sanitary sewer with plenty ct into approved container for disposal. Wash area with plenty of wat		
SECTION	7 - HANDLING AND STORAGE		
PRECAUTIONS TO BE TAKEN IN HANDLING AND S protect from extreme temperatures.	TORAGE: Keep container closed when not in use; protect containers	; from abuse;	
SECTION 8 - EXPOSUR ENGINEERING CONTROLS	E CONTROLS / PERSONAL PROTECTION	-1111111111111111111111111111111111111	
The use of local exhaust ventilation is recommended. I	No other special controls are indicated.		
PERSONAL PROTECTION:			
RESPIRATORY PROTECTION (SPECIFY TYPE): No	ne required		
PROTECTIVE GLOVES: None required			
	ction Refer to 29 CFR 1910.133 or European Standard EN166.		
	Cofety eyeboth peorby		

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyebath nearby

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET							
PRODUCT NAME: SLIME Super Duty Tire Sealant				Page 3 of 4			
March 10, 2008 SECTION 9 - PHYS	SICAL ANIT						
VAPOR PRESSURE (MM Hg)			NSITY (AIR = 1)	<u></u>			
Not determined		>1					
SPECIFIC GRAVITY (WATER = 1)		EVAPORATION RATE (WATER = 1)					
1.16 ± 0.1 SOLUBILITY IN WATER		< 1 FREEZING	POINT				
Appreciable		Not specified					
pH		APPEARANCE AND ODOR					
8.8 ± 1.0 BOILING POINT		Various colored paste with black specks, slight odor PHYSICAL STATE					
220° F (104.4° C)		Viscous liquid					
VISCOSITY	VOLATILE ORGANIC COMPOUNDS (Total VOC's)						
Paste SECTION 10	CTADIII						
STABILITY UNSTABLE:	- STADILI		EACTIVITT S TO AVOID: Extreme temperatu	res keen from freezing			
STABILITY ONSTABLE. STABLE:	х	CONDITION		res, keep nom neezing			
INCOMPATIBILITY (MATERIALS TO AVOID): Strong	oxidizers, strong	g acids					
HAZARDOUS DECOMPOSITION OR BYPRODUCTS:	Decomposition	a will not occur	if handled and stored properly	/ In case of a fire, ovideo			
of carbon, hydrocarbons, fumes, and smoke may be pro-		I WIII HOL OCCUI	ii nanuleu allu storeu propeny				
HAZARDOUS POLYMERIZATION MAY OCCUR:		CONDITIONS	STO AVOID: None				
SECTION 11-	TOXICOLC	GICAL IN	LD50 of Ingredient	LC50 of Ingredient			
Hazardous Ingredients	CAS #	EINECS #	(Specify Species and Route)	(Specify Species)			
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.							
<b>SECTION 12</b> No data are available on the adverse effects of this mat				vailable. Based on the			
chemical composition of this product it is assumed that in limited quantities. However, such treatment should b in this mixture are classified as a Marine Pollutant.	the mixture can	be treated in a	n acclimatized biological was	te treatment plant system			
SECTION 13	- DISPOSA	AL CONSIL	DERATIONS				
WASTE DISPOSAL METHOD: Dispose of in accordance hazardous, however, non-hazardous materials may be of Environment Parts 260 - 299" for complete waste dis Agency before disposing of any chemicals.	come hazardous	s waste upon co	ontact with other products. Re	efer to "40 CFR Protection			
SECTION 14	I - TRANSF	PORT INFO	ORMATION				
PROPER SHIPPING NAME:				<u></u>			
UN / NA IDENTIFICATION NUMBER:	Not Applicable		RID/ADR Dangerous Goo	O CLASS: Not regulated			
HAZARD SYMBOLS:		-	Hazard Identification Numb	. ,			
Note: Transportation information provided is for referer Nations TDG, and WHMIS (Canada) TDG information r packaging materials and methods of shipping.							

PRODUCT NAME: SLIME Super Duty Tire Sealant March 10, 2008				Page 4 of 4		
	5 - REGULATORY INFO	ORM/	A <i>TION</i>			
TSCA (Toxic Substance Control Act) All components of this product are listed on the U.S from listing because a Low Volume Exemption has				or are exempted		
SARA TITLE III (Superfund Amendments and Reauth 311/312 Hazard Categories None	norization Act)					
313 Reportable Ingredients: None						
CERCLA (Comprehensive Response Compensation None	and Liability Act)					
California Prop 65, Safe Drinking Water and Toxic Er There are no chemicals present known to the state		produc	tive toxicity.			
CPR (Canadian Controlled Products Regulations) This product has been classified in accordance with the information required by the Controlled Products				SDS contains all		
IDL (Canadian Ingredient Disclosure List) Components of this product identified by CAS num	ber and listed on the Canadian Ing	redient	t Disclosure List are shown ir	n Section 2.		
DSL / NDSL (Canadian Domestic Substances List / N Components of this product identified by CAS numl Substances Notification (NSN) regulations. Only in	ber are listed on the DSL or NDSL					
EINECS (European Inventory of Existing Commercia Components of this product identified by CAS numl		y of Ex	isting Commercial Chemical	Substances.		
EC Risk Phrases None	SYMBOL(S) REQUIRED FOR LABEL		EC Safety Phrases S2 Keep out of the reach of children.			
None	None		·			
	NONE					
SECTIO	N 16 - OTHER INFORM	ΛΑΤΙΟ	ON			
No specific notes.		<u></u>				
HMIS HAZARD RATINGS	HEALTH	0	* = Chronic Health Hazard	2 = MODERATE		
	FLAMMABILITY PHYSICAL HAZARD	0 0	0 = INSIGNIFICANT 1 = SLIGHT	3 = HIGH 4 = EXTREME		
PER	SONAL PROTECTIVE EQUIPMENT	A	Safety Glasses			
REVISION SUMMARY:						
This MSDS has been revised in the following section	ons: Section 9, Free	zing po	bint			
MSDS Prepared by:	ChemTel Inc.		• • •			

2 = MODERATE 3 = HIGH 4 = EXTREME

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

(888) 255-3924 Intl. 01+ (813) 248-0573 www.chemtelinc.com