

Section 1. Product and Company Identification

Product Name	PROFESSIONAL EASY-OFF® OVEN & GRILL CLEANER (READY-TO-USE)	MSDS#	Not available.
Product Description	Not available.	Validation Date	3/30/2004
Manufacturer	Reckitt Benckiser North America, Inc. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, N.J. 07054-0225	Print Date	3/30/2004
Product Identifier	Not available.	In case of Emergency:	Telephone: 800-677-9218 (Professional Products)
Item Number	358467	Transportation Emergencies:	Chemtrec: 1-800-424-9300 (U.S. & Canada) Outside the U.S & Canada (North America), call: 703-527-3887
Formula Number	399-179 (F/F 358467)		
UPC Number	62338-74377-00 (1 Gallon)		

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits : TLV/PEL
1) SODIUM METASILICATE	6834-92-0	2.0	Not available.
2) POTASSIUM HYDROXIDE	1310-58-3	<5.0	CEIL: 2 (mg/m ³) from ACGIH (TLV) [United States]

Section 3. Hazards Identification

Emergency Overview	DANGER: Corrosive. Causes burns to eyes and skin on contact. Harmful if swallowed. KEEP OUT OF REACH OF CHILDREN!
---------------------------	-------------------------------------------------------------------------------------------------------------------

Section 4. First Aid Measures

Eye Contact	Immediately flush eyes thoroughly with water, remove any contact lenses and continue to flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Skin Contact	Immediately flush thoroughly with plenty of water for 10 minutes. If irritation persists, get medical attention.
Inhalation	If affected by inhalation, remove to fresh air. Call a physician or poison control center as necessary.
Ingestion	Do not induce vomiting. Give several glasses of water to dilute the product. Call a physician or poison control center immediately. NEVER give an unconscious person anything to ingest.

Section 5. Fire and Explosion Data

Flammability	Not flammable. See Section 14 for any Shipping Classifications.
Flash Point	CLOSED CUP: Higher than 93.3°C (>200°F). (Tagliabue).
Explosive Limits in Air	Not available.
Products of Combustion	Not available.

Continued on Next Page

Fire and Explosion Hazards	None known.
Fire Fighting Media and Instructions	Use water spray, foam, dry chemical or carbon dioxide, as suitable for the surrounding fire.
Special Fire Fighting Instructions	Wear self-contained breathing apparatus and protective clothing appropriate for fighting a typical chemical fire.

Section 6. Accidental Release Measures

Accidental Spill	<p>Small spills: Wearing rubber gloves, spill should be wiped up with inert absorbent material and disposed of in a suitable waste container. The residue should be rinsed or flushed to the sink or sanitary sewer.</p> <p>Large spills: Wearing appropriate personal protective equipment, the spill of concentrated material should be contained, collected and evaluated for disposal according to state and federal hazardous waste regulations. Undiluted or concentrated material SHOULD NOT be flushed to sewer.</p>
-------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 7. Handling and Storage

Handling and Storage	<p>DANGER: Corrosive. Causes burns to eyes and skin on contact. Harmful if swallowed. Contains potassium hydroxide and sodium metasilicate. Do not take internally. Do not get in eyes, on skin, on mucous membranes or on clothing. Wear eye protection and long rubber gloves when handling. Avoid breathing spray mist. If clothing is contaminated, remove and wash clothing before reuse.</p> <p>Store in original container in area inaccessible to small children and pets. KEEP OUT OF REACH OF CHILDREN.</p>
-----------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 8. Exposure Controls/Personal Protection

Ventilation Requirements	None required.
Eye Protection	Wear eye protection when handling. Emergency responders should wear full eye and face protection.
Skin Protection	Wear long rubber gloves when handling. Emergency responders should wear impermeable gloves.
Respiratory Protection	Avoid breathing spray mist.
Other Protection	Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.
Work/Hygienic Practices	Remove and wash any contaminated clothing and clean contaminated shoes before reuse. Wash thoroughly with soap and water after handling.

Section 9. Physical and Chemical Properties

Description	Thick, opalescent, clear viscous liquid.	Odor	Characteristic chemical odor (Glycol ether).
pH	14 [Basic.]	Color	Colorless.
Boiling/Condensation Point	Not determined.		
Specific Gravity	Not available.		
Vapor Pressure	Not determined.		
Vapor Density	Not available.		
Viscosity	Not available.		
Solubility	Complete		
Physical Chemical Comments	Not available.		

Section 10. Stability and Reactivity Data

Chemical Stability	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	Do not mix with acids and oxidizers.
Hazardous Decomposition Products	None known.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Exposure effects

Eye Contact	Corrosive. Causes burns to eyes on contact.
Skin Contact	Corrosive. Causes burns to skin and mucous membranes on contact.
Inhalation	Corrosive. Avoid breathing spray mist.
Ingestion	Corrosive. Harmful if swallowed.
Carcinogenicity	Not listed as carcinogenic by OSHA, NTP or IARC.


Section 12. Ecological Information

Ecotoxicity	Not available. Do not allow any spilled material to enter a stream, brook, river, pond, lake or any other waterway to prevent injury to wildlife.
--------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

Section 13. Disposal Considerations

Waste Disposal	For small amount of liquid waste, discard absorbed material in trash collection or dilute liquid with large quantity of water and flush to sanitary sewer. For large amounts of waste product: Contain and collect liquid for evaluation and disposal according to local, state and federal regulations.
-----------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 14. Transport Information

DOT Classification	Corrosive Liquid, basic, inorganic, N.O.S. (Contains Potassium Hydroxide, Sodium Metasilicate), Class 8, UN 3266, PG II.	
Proper Shipping Name	Corrosive liquid, basic, inorganic, n.o.s. (contains Potassium Hydroxide, Sodium Metasilicate)	
DOT Identification Number	UN3266	
Packing Group	II	
Maritime Transportation	Not available.	
Hazardous Substances Reportable Quantity	Not available.	
Special Provisions for Transport	UN Performance packaging required.	

Continued on Next Page

**PROFESSIONAL EASY-OFF® OVEN &
GRILL CLEANER (READY-TO-USE)**

Page Number: 4

TDG Classification	Corrosive liquid, basic, inorganic, n.o.s. (contains Potassium Hydroxide, Sodium Metasilicate) Class 8, UN3266, PG II
ADR Classification	Not available.
IMDG Classification	Corrosive liquid, basic, inorganic, n.o.s. (contains Potassium Hydroxide, Sodium Metasilicate) Class 8, UN3266, PG II
IATA Classification	DO NOT SHIP! - Packaging does not meet IATA requirements.

Section 15. Regulatory Information

Federal and State Regulations SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting:
None
California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act:
None

Other Classifications **WHMIS (Canada)** CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC).
CLASS E: Corrosive liquid.

New Jersey Right-To-Know Regulation: WATER CAS #: 7732-18-5
POTASSIUM HYDROXIDE CAS #: 1310-58-3
TRIPROPYLENE GLYCOL METHYL ETHER CAS #: 25498-49-1
SODIUM METASILICATE CAS #: 6834-92-0
ACRYLIC COPOLYMER CAS #: N/A

Section 16. Other Information

HMIS (U.S.A.)

Health Hazard	3
Fire Hazard	0
Reactivity	0
Personal Protection	D

National Fire Protection Association (U.S.A.)

Health	3	0	0	Fire Hazard
				Reactivity
				Specific hazard

NFPA Aerosol Level Not applicable.

Validated by Product Safety on 3/30/2004.

Printed 3/30/2004.

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.