

Version: 1.3 Revision Date: 12-21-2018

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Hydrogen Peroxide

Other means of identification

Product No.:5803, 5170, 3664, V340, 2192, 2204, 2203, 2202, 2201, 2200,
2190, 2189, 2186, 5236, 5853, 5846, 5816, 2002, 5516, 5369,
5240, 5155, 37818, 37817, 37810, 2206

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use. **Restrictions on use:** Not determined.

Details of the supplier of the safety data sheet

Company Name: Address:	Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200 Radnor, PA 19087
Telephone:	Customer Service: 855-282-6867
Contact Person: E-mail:	Product Information Compliance info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada

2. Hazard(s) identification

Hazard Classification

Physical Hazards	
Oxidizing liquids	Category 2
Health Hazards	
Acute toxicity (Oral)	Category 4
Acute toxicity (Inhalation - vapor)	Category 3
Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1
Germ Cell Mutagenicity	Category 1B
Specific Target Organ Toxicity - Single Exposure	Category 1 ^{1.}
Specific Target Organ Toxicity - Single Exposure	Category 3 ^{2.}

Target Organs

1. Lungs

2. Respiratory tract irritation.

Unknown toxicity - Health

Acute toxicity, oral	0 %
Acute toxicity, inhalation, vapor	25 %
SDS_US - SDSMIX000510	



Environmental Hazards

Acute hazards to the aquatic	Category 2
environment	

Unknown toxicity - Environment

Acute hazards to the aquatic	0 %
environment	05.0/
Chronic hazards to the aquatic environment	25 %

Label Elements

Hazard Symbol:



Signal Word:	Danger
Hazard Statement:	May intensify fire; oxidizer. Toxic if inhaled. Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation. May cause genetic defects. Causes damage to organs if swallowed. Toxic to aquatic life.
Precautionary Statements	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat No smoking. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Wash thoroughly after handling. Do not breathe dust/mist/vapors. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Avoid release to the environment.
Response:	In case of fire: Use water spray, foam, dry powder or carbon dioxide for extinction. IF exposed: Call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.



Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	
Hydrogen peroxide	7722-84-1	25 - 35%	
* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.			

4. First-aid measures				
General information:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.			
Ingestion:	Call a physician or poison control center immediately. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.			
Inhalation:	Move to fresh air. Call a physician or poison control center immediately. If breathing is difficult, give oxygen. Apply artificial respiration if victim is not breathing			
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.			
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air. Get medical attention immediately.			
Most important symptoms/effec	cts, acute and delayed			
Symptoms:	Harmful if swallowed. Toxic if inhaled. Corrosive to skin and eyes.			
Hazards:	None known.			
Indication of immediate medical	l attention and special treatment needed			
Treatment:	Treat symptomatically. Symptoms may be delayed.			
5. Fire-fighting measures				
General Fire Hazards:	Strong oxidizer - contact with other material may cause fire.			
Suitable (and unsuitable) exting	uishing media			
Suitable extinguishing media:	Water spray, foam, dry powder or carbon dioxide.			
Unsuitable extinguishing media:	None known.			
Specific hazards arising from the chemical:	Strong oxidizer. Contact with combustible material may cause fire. Pressurized container may explode when exposed to heat or flame.			
SDS_US - SDSMIX000510		3/11		



Special protective equipment and precautions for firefighters

Special fire fighting procedures:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.			
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Keep unauthorized personnel away. Use personal protective equipment. Ventilate closed spaces before entering them. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and material for containment and cleaning up:	In case of leakage, eliminate all ignition sources. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures:	Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	

Precautions for safe handling:	Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Wash hands thoroughly after handling. Do not get in eyes, on skin, on clothing. Keep away from combustible material. Do not taste or swallow. Do not eat, drink or smoke when using the product. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight.
Conditions for safe storage,	Keep away from heat. Keep away from sources of ignition - No smoking.
including any	Keep away from combustible material. Keep container tightly closed. Store
incompatibilities:	in a well-ventilated place. Store in a dry place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Lim	it Values	Source
Hydrogen peroxide	TWA	1 ppm		US. ACGIH Threshold Limit Values (2011)
	REL	1 ppm	1.4 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	1 ppm	1.4 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1 ppm	1.4 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	1 ppm	1.4 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL	Health	14 µg/m3	US. Texas. Effects Screening Levels (Texas



				Commission on Environmental Quality) (11 2016)
	ST ESL	Health	10 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Health	1.4 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Health	1 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
Hydrogen peroxide - as H2O2	TWA PEL	1 ppm	1.4 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)

Appropriate Engineering

No data available.

Controls

Individual protection measures, such as personal protective equipment

General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.
Eye/face protection:	Wear safety glasses with side shields (or goggles) and a face shield.
Skin Protection Hand Protection:	Chemical resistant gloves
Other:	Wear appropriate clothing to prevent reasonably probable skin contact.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Chemical respirator with acid gas cartridge.
Hygiene measures:	Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance		
Physical state:	Liquid	
Form:	Liquid	
Color:	Colorless	
Odor:	Mild pungent	
Odor threshold:	No data available.	
pH:	3.3	
Melting point/freezing point:	-25 °C	
Initial boiling point and boiling range:	108 °C	
Flash Point:	Not applicable	
Evaporation rate:	< 1 (butyl acetate=1)	
Flammability (solid, gas):	No data available.	
Upper/lower limit on flammability or explosive limits		
Flammability limit - upper (%):	No data available.	
Flammability limit - lower (%):	No data available.	

Explosive limit - upper (%): Explosive limit - lower (%):	No data available. No data available.
Vapor pressure:	3.33 kPa
Vapor density:	1.17
Density:	1.11 g/ml (20 °C)
Relative density:	1.11 (20 °C)
Solubility(ies)	
Solubility in water:	Miscible with water.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability:	Stable; however, may decompose if heated.
Possibility of hazardous reactions:	Hazardous polymerization does not occur.
Conditions to avoid:	Heat. Light. Contact with combustibles. Contact with incompatible materials.
Incompatible Materials:	Organic compounds. Reducing agents. Flammable/combustible material.
Hazardous Decomposition Products:	May decompose upon heating to produce corrosive and/or toxic fumes.

11. Toxicological information

Information on likely routes of exposure Inhalation: May cause irritation to the respiratory system.	
Skin Contact:	Causes severe skin burns.
Eye contact:	Causes serious eye damage.
Ingestion:	May cause burns of the gastrointestinal tract if swallowed.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	ATEmix (Rat): 1,982 mg/kg
Dermal Product:	No data available.
Inhalation Product:	No data available.



Repeated dose toxicity Product:	No data available.		
Skin Corrosion/Irritation Product:	Causes skin burns.		
Serious Eye Damage/Eye Irritation Product: Causes eye burns.			
Respiratory or Skin SensitizationProduct:Not a skin sensitizer.			
Carcinogenicity Product:	Suspected of causing cancer.		
	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified		
US. National Toxicology Program No carcinogenic component	m (NTP) Report on Carcinogens: s identified		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified			
Germ Cell Mutagenicity			
In vitro Product:	May cause genetic defects.		
In vivo Product:	May cause genetic defects.		
Reproductive toxicity Product:	No components toxic to reproduction		
Specific Target Organ Toxicity - Product:	Single Exposure Lungs. Respiratory tract irritation.		
Specific Target Organ Toxicity - Product:	Repeated Exposure None known.		
Target Organs Specific Target Organ Toxicity - Single Exposure: Lungs Specific Target Organ Toxicity - Single Exposure: Respiratory tract irritation.			
Aspiration Hazard Product:	Not classified		
Other effects:	None known.		

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:



Fish Product:	No data available.		
Specified substance(s): Hydrogen peroxide	NOAEL (Pimephales promelas, 96 h): 5 mg/l LC 50 (Pimephales promelas, 96 h): 16.4 mg/l LC 50 (Ictalurus punctatus, 96 h): 37.4 mg/l		
Aquatic Invertebrates Product:	No data available.		
Chronic hazards to the aqua	tic environment:		
Fish Product:	No data available.		
Aquatic Invertebrates Product:	No data available.		
Toxicity to Aquatic Plants Product:	No data available.		
Persistence and Degradability			
Biodegradation Product:	Expected to be readily biodegradable.		
BOD/COD Ratio Product:	No data available.		
Bioaccumulative potential Bioconcentration Factor (BCF) Product: No data available on bioaccumulation.			
Partition Coefficient n-octanol / Product:	water (log Kow) No data available.		
Mobility in soil:	The product is water soluble and may spread in water systems.		
Other adverse effects:	Toxic to aquatic life.		
13. Disposal considerations			
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.		
Contaminated Packaging:	Since emptied containers retain product residue, follow label warnings even after container is emptied.		
14. Transport information			

14. Transport information

DOT	
UN	ľ

UN Number:	UN 2014
UN Proper Shipping Name:	Hydrogen peroxide, aqueous solutions
Transport Hazard Class(es)	
Class:	5.1
Label(s):	5.1, 8
Packing Group:	II
Marine Pollutant:	No
SDS_US - SDSMIX000510	



	Special precautions for user:	Not determined.
IME)G	
	UN Number:	UN 2014
	UN Proper Shipping Name:	HYDROGEN PEROXIDE, AQUEOUS SOLUTION (WITH 20% - 60% HYDROGEN PEROXIDE)
	Transport Hazard Class(es)	
	Class:	5.1
	Label(s): EmS No.:	5.1, 8 F-H, S-Q
	Packing Group: Marine Pollutant:	No
	Special precautions for user:	Not determined.
ΙΑΤ	Α	
	UN Number:	UN 2014
	Proper Shipping Name:	Hydrogen peroxide, aqueous solution
	Transport Hazard Class(es): Class:	5.1
	Label(s):	5.1, 8
	Packing Group:	II Contraction of the second s
	Marine Pollutant:	No
	Special precautions for user:	Not determined.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Oxidizer (liquid, solid or gas) Acute toxicity (any route of exposure) Skin Corrosion or Irritation Serious eye damage or eye irritation Germ Cell Mutagenicity Specific target organ toxicity (single or repeated exposure)

quantity

1000 lbs.

SARA 302 Extremely Hazardous Substance Reportable

Chemical Identity	
Hydrogen peroxide	

Threshold Planning Quantity 1000 lbs.

SARA 304 Emergency F	Release Notification
Chemical Identity	Reportable quantity
Lively a second a second at a	

Hydrogen peroxide

SARA 311/312 Hazardous C	hemical
Chemical Identity	Threshold Planning Quantity
Hydrogen peroxide	500 lbs.



SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3): None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65 No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity Hydrogen peroxide

US. Massachusetts RTK - Substance List

Chemical Identity Hydrogen peroxide

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity Hydrogen peroxide

US. Rhode Island RTK

Chemical Identity

Hydrogen peroxide

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

Inventory Status:

Australia AICS: Canada DSL Inventory List: EINECS, ELINCS or NLP: Japan (ENCS) List: China Inv. Existing Chemical Substances: Korea Existing Chemicals Inv. (KECI): Philippines PICCS: US TSCA Inventory: New Zealand Inventory of Chemicals: Japan ISHL Listing: Mexico INSQ: Taiwan Chemical Substance Inventory: On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory On or in compliance with the inventory On or in compliance with the inventory



16.Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible OXY: Oxidizer

Issue Date:	12-21-2018
Revision Information:	Not relevant.
Version #:	1.3
Source of information:	Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate.
Further Information:	No data available.
Disclaimer:	The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.