

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): DEFOAMER

Product Number: 3024; 3042

Product Division: Janitorial

Spartan Chemical Company, Inc.

Product/Technical Information: 1-(800)-537-8990

1110 Spartan Drive Maumee OH 43537

Medical Emergency:1-(888)-314-6171 (24 hours) Chemical Leak/Spil CHEMTREC 1-(800) 424-9300 (24 hours) Emergency:

Shipping Desc	cription: Cleaning compounds, liquid, n.o.s	5.	
NFPA Ratings:		HMIS Ratings:	
Health:	1- Slight	Health:	I- Slight
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Pers. Prot. Equip.:	See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z- 1 - A		NTP. IARC	
		CAS Registry			CELING	or OSHA
Chemical Name(s)	% W	No.	TWA mg/m ³	STEL mg/m ³	mg/m ³	Carcinogen
Polydimethylsiloxane emulsion	1-5	Proprietary	Not Established	Not Established	Not Established	No

▼ SECTION III: PHYSICAL DATA

Boiling Point:	212 °F	Vapor Pressure:	Not determined
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Emulsifiable
pH:	9.0-10.0	Specific Gravity (H ₂ O=1):	
Evaporation Rate (but.ace.=1):		Percent Solid by Weight:	1-5
Physical State:	Liquid		
Appearance & Odor: Milky white liquid, bland odor			

***** SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used: ASTM-D56
Flammable Limits:	Not Established	Flame Extension: N/A
Extinguishing Media	Product does not support com surrounding fire.	oustion. Use extinguishing media appropriate for
Special Fire Fighting Procedures	g Wear NIOSH approved self-contained breathing apparatus and protective clothing. C fire-exposed containers with water spray.	
Unusual Fire & Explosive Hazards	Combustion products are toxic	2.

* SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes and Oral		
Effects of Overexposure- Conditions to Avoid: may cause mild eye and skin irritation. May be harmful if swallowed. Inhalation of product mist may cause respiratory irritation. Avoid contact with eyes. Avoid prol or repeated contact with skin. Do not swallow. Avoid breathing product mist. Was thoroughly after handling.				
Conditions Aggravated by Use:	: Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and dermatitis.			
Emergency & First Aid Procedu	Emergency & First Aid Procedures:			
	Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.			
Skin:	: Wash skin thoroughly with soap and water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.			
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.			
Inhalation:	In case of respiratory irritation; move person to fresh air. Get medical attention if irritation persists.			

▼ SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: Strong oxidizers
Hazardous Decomposition CO, CO2	Hazardous Will Not Occur
Products:	Polymerization:

▼ SECTION VII: SPILL OR LEAK PROCEDURES

Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for disposal. Keep spill out of storm sewers and waterways.
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.

***** SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	None required
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Not required. Impervious gloves may be worn if desired.
Eye Protection(Specify Type):	Not required. Splash goggles may be worn if desired.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

*****SECTION IX: SPECIAL PRECAUTIONS

DEFOAMER

Precautions; Hand	ling & Keep from toring:	freezing.		
Other Preca	utions: Keep out o	of reach of children.		
© SCC 07/07/2005	Name:	Ronald T. Cook	Title:	Manager, Regulatory Affairs

Supercedes: 09/23/1999

Effective Date:

Update Sections I, II, III, IV, V, VII, VIII, IX Ref: 29 CFR 1910.1200 (OSHA) Changes:

07/07/2005

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.