

Material Safety Data Sheet

1. Chemical Product and Company Identification

DESCRIPTION: ELMER'S PROBOND CONCRETE BONDER PRODUCT TYPE: PVAC BASED ADHESIVE APPLICATION: E862, E863.

Manufacturer/Supplier Information

MSDS Prepared by: Elmer's Products, Inc. 1000 Kingsmill Parkway Columbus, OH 43229 For additional product information, access our website at www.elmers. com or call 1-888-435-6377. To place an order, call 1-800-848-9400

2. Composition, Information on Ingredients

No hazardous ingredients known to company.

3. Hazards Identification

3.1 Emergency Overview

Appearance Odor CAUTION! Not a significant fire hazard. May cause eye irritation

• HMIS Rating

HEALTH = 1 (slight)FLAMMABILITY = 0 (minimal) REACTIVITY = 0 (minimal)

3.2 Potential Health Effects

Immediate Hazards

INGESTION:	Not expected to be harmful under normal conditions of
	use.
INHALATION:	Not expected to be harmful under normal conditions of
	use. However, if allowed to become airborne, may cause
	irritation of nose, throat and lungs.
SKIN:	May cause irritation on prolonged or repeated contact.
EYES:	May cause irritation on prolonged or repeated contact.

Light gray liquid

Mild acetic aroma

• Delayed Hazards

None of the components present in this product at concentrations equal to or greater than 0.1% have been listed by NTP, classified by IARC, nor regulated by OSHA as a carcinogen.

4. First Aid Measures

E862_B ELMER'S PROBOND CONCRETE BONDER

INGESTION:	If accidentally swallowed, dilute by drinking large
	quantities of water. Immediately contact poison control
	center or hospital emergency room for any other
	additional treatment directions.
INHALATION:	Remove to fresh air.
SKIN:	In case of irritation, flush with water.
EYES:	Immediately flush eyes with plenty of water. Call
	a physician if irritation persists.

5. Fire Fighting Measures

Autoignition Temperature Not available Upper/Lower Flammable Limits Not applicable Up/Lower Explosive Limits, % by Vol Not applicable Flash Point Not applicable Will not burn unless water has evaporated. Dried material may burn. In case of fire, water should be used to keep fire-exposed containers cool.

6. Accidental Release Measures

Soak up with absorbent material and remove to a chemical disposal area. Prevent entry into natural bodies of water.

7. Handling and Storage

7.1 Handling

Handle in accordance with good industrial hygiene and safety practices. Always use appropriate Personal Protective Equipment (PPE). INHALATION: Avoid prolonged or repeated breathing of vapor. SKIN: Avoid prolonged or repeated contact with skin and clothing. EYES: Avoid prolonged or repeated contact with eyes.

7.2 Storage

```
Keep from freezing.
Store in a cool, dry place.
Keep containers tightly closed.
```

8. Exposure Controls/Personal Protection

8.1 Exposure Controls

If airborne contaminants are generated when the material is heated or handled, sufficient ventilation in volume and air flow patterns should be provided to keep air contaminant concentration levels below acceptable criteria.

8.2 Personal Protection

Where air contaminants can exceed acceptable criteria, use NIOSH/MSHA approved respiratory protection equipment. Respirators should be selected based on the form and concentration of contaminants in air in accordance with OSHA laws and regulations or other applicable standards or guidelines, including ANSI standards regarding respiratory protection. Use goggles if contact is likely. Wear impervious gloves as required to prevent skin contact.

8.3 Exposure Guidelines

None established

9. Physical and Chemical Properties

```
Percent Volatiles
                                     45.5
                                     4.6
pH @ 25 C
Specific Gravity
                                     1.1
Appearance
                                     Light gray liquid
Autoignition Temperature
                                     Not available
Boiling Point
                                     100 deg C
Vapor Density (Air=1)
                                     < 1
Vapor Pressure, mm Hq @ 20 C
                                     17.5
Evaporation Rate (Butyl Acetate=1)
                                     < 1
                                     Not applicable
Upper/Lower Flammable Limits
Up/Lower Explosive Limits, % by Vol Not applicable
Flash Point
                                     Not applicable
Freezing Point
                                     0 deg C
Odor
                                     Mild acetic aroma
Odor Threshold, ppm
                                     Not available
Solubility in Water
                                     Dispersible
Coefficient of Water/Oil Distrib.
                                     Not available
```

10. Stability and Reactivity

Normally stable as defined in NFPA 704-12(4-3.1).

• Incompatibilities:

Strong acids and alkaline materials.

Decomposition products may include:

CO, CO2.

• Hazardous polymerization:

Will not occur.

Other Hazards:

None known to company.

11. Toxicological Information

See Section 3 Hazards Identification information.

12. Ecological Information

Not determined.

13. Disposal Considerations

Recover free liquid. Absorb residue and dispose of according to local, state/provincial, and federal requirements.

14. Transport Information

14.1 U.S. Department of Transportation (DOT)

The data provided in this section is for information only and may not be specific to your package size. You will need to apply the appropriate regulations to properly classify your shipment for transportation. Non-Regulated.

14.2 Canadian Transportation of Dangerous Goods (TDG)

E862_B ELMER'S PROBOND CONCRETE BONDER

Not determined.

15. Regulatory Information (Selected Regulations)

15.1 U.S. Federal Regulations

OSHA Hazard Communication Standard 29CFR1910.1200

This material is not a "health hazard" or a "physical hazard" as determined when reviewed according to the requirements of the Occupational Safety and Health Administration 29 CFR Part 1910.1200 "Hazard Communication" Standard.

SARA Title III: Section 311/312

Does not meet any hazard category

SARA Title III Section 313 and 40 CFR Part 372

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372. None required per SARA TITLE III SECTION 313.

TSCA Section 8(b) Inventory

All reportable chemical substances are listed on the TSCA Inventory. We rely on certifications of compliance from our suppliers for chemical substances not manufactured by us.

15.2 Canadian Regulations

• Workplace Hazardous Materials Information System (WHMIS)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR) and the MSDS contains all the information required by the CPR. Not a controlled product

Canadian Environmental Protection Act (CEPA)

This product contains one or more chemical substances not included on either the Domestic Substances List (DSL) or the Non-Domestic Substances List (NDSL).

National Pollutant Release Inventory (NPRI)

This product contains the following chemical(s) subject to the reporting requirements of the Canadian Environmental Protection Act (CEPA) subsection 16(1), National Pollutant Release Inventory. None required.

16. Other Information

User's Responsibility

The OSHA Hazard Communication Standard 29CFR 1910.1200 and the Workplace

Hazardous Materials Information System (WHMIS) require that the information

E862_B ELMER'S PROBOND CONCRETE BONDER

contained on these sheets be made available to your workers. Educate and

train your workers regarding OSHA and WHMIS precautions. Instruct your workers to handle this product properly. Consult with appropriate experts

to guard against hazards associated with use of this product and its ingredients.

• Disclaimer

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE

MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, except that the product

shall conform to contracted specifications, and that the product does not

infringe any valid United States or Canadian patent. No claim of any kind

shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller

be liable for incidental or consequential damages, whether Buyer's claim is

based on contract, breach of warranty, negligence or otherwise.

CUR ISSUE 01-MAR-04 PREVIOUS ISSUE: 21-AUG-00