



SAFETY DATA SHEET

Preparation Date: No data available

Revision Date: 06/25/2015

Revision Number: G1

Product identifier

Product code: Z1043
Product Name: ZINC METAL, 6 IN. X 1 IN. X 0.019 IN., STRIPS

Other means of identification

Synonyms: Zinc Metal Sheets; Zinc Metal Shot; Zinc Metal Strips; Zinc Foil
CAS #: 7440-66-6
RTECS # ZG8600000
CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: No information available.
Uses advised against No information available

Supplier: Spectrum Chemical Mfg. Corp
14422 South San Pedro St.
Gardena, CA 90248
(310) 516-8000

Order Online At: <https://www.spectrumchemical.com>

Emergency telephone number Chemtrec 1-800-424-9300
Contact Person: Martin LaBenz (West Coast)
Contact Person: Ibad Tirmiz (East Coast)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Not classified

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Not available

Product code: Z1043

Product name: ZINC METAL, 6 IN. X 1 IN. X 0.019 IN., STRIPS

1 / 12

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight % | Trade Secret |
|-------------------------|-----------|----------|--------------|
| Zinc Metal 7440-66-6 | 7440-66-6 | 100 | * |

4. FIRST AID MEASURES

First aid measures

General Advice:

Poison information centers in each State capital city can provide additional assistance for scheduled poisons (13 1126)

Skin Contact:

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Get medical attention if irritation develops. Consult a physician if necessary.

Eye Contact:

Flush eye with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.

Inhalation:

Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms

Health injuries are not known or expected under normal use.

Indication of any immediate medical attention and special treatment needed

Notes to Physician:

Treat symptomatically

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media:

The product is not flammable.

Unsuitable Extinguishing Media:

No information available.

Specific hazards arising from the chemical

Hazardous Combustion Products:

No information available.

Specific hazards:

Zinc + NaOH causes ignition.
 Oxidation of zinc by potassium proceeds with incandescence.
 Residues from zinc dust /acetic acid reduction operations may ignite after long delay if discarded into waste bins with paper.
 Incandescent reaction when Zinc and Arsenic or Tellurium, or Selenium are combined.
 When hydrazine mononitrate is heated in contact with zinc, a flaming decomposition occurs at temperatures a little above its melting point.
 Contact with acids and alkali hydroxides (sodium hydroxide, potassium hydroxide, calcium hydroxide, etc.) results in evolution of hydrogen with sufficient heat of reaction to ignite the hydrogen gas.
 Zinc foil ignites if traces of moisture are present.
 It is water reactive and produces flammable gases on contact with water. It may ignite on contact with water or moist air

Special Protective Actions for Firefighters**Specific Methods:**

No information available.

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

| |
|---------------------------------------|
| 6. ACCIDENTAL RELEASE MEASURES |
|---------------------------------------|

Personal precautions, protective equipment and emergency procedures**Personal Precautions:**

Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Remove all sources of ignition.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up**Methods for containment**

Stop leak if you can do it without risk. Cover with plastic sheet to prevent spreading.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Clean contaminated surface thoroughly.

| |
|--------------------------------|
| 7. HANDLING AND STORAGE |
|--------------------------------|

Precautions for safe handling**Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not ingest. Do not breathe vapours/dust. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials:

Acids. Alkalis. Oxidizing agents.

| |
|---|
| 8. EXPOSURE CONTROLS/PERSONAL PROTECTION |
|---|

Control parameters**National occupational exposure limits****United States**

| Components | OSHA | NIOSH | ACGIH | AIHA WHEEL |
|-------------------------|------|-------|-------|------------|
| Zinc Metal 7440-66-6 | None | None | None | None |

Canada

| Components | Alberta | British Columbia | Ontario | Quebec |
|-------------------------|---------|------------------|---------|--------|
| Zinc Metal 7440-66-6 | None | None | None | None |

Australia and Mexico

| Components | Australia | Mexico |
|-------------------------|-----------|--------|
| Zinc Metal 7440-66-6 | None | None |

Appropriate engineering controls**Engineering measures to reduce exposure:**

Ensure adequate ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment**Personal Protective Equipment**

- Eye protection:** Safety glasses Safety glasses with side-shields
- Skin and body protection:** Chemical resistant apron. Gloves. Long sleeved clothing.
- Respiratory protection:** Effective dust mask Wear respirator with dust filter.
- Hygiene measures:** Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

| |
|--|
| 9. PHYSICAL AND CHEMICAL PROPERTIES |
|--|

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|---|--|--|
| Physical state: Solid. | Appearance: Lustrous. Metal. | Color: Bluish-grey. |
| Odor: No information available | Taste No information available | Molecular/Formula weight: 65.39 |
| Formula: Zn | Flammability: Non-flammable | Flash point (°C): No data available |
| Flashpoint (°C/°F): No information available. | Flash Point Tested according to: Not available | Lower Explosion Limit (%): No information available |
| Upper Explosion Limit (%): No information available | Autoignition Temperature (°C/°F): No information available | pH: No information available |
| Melting point/range(°C/°F): 419°C/786.2°F | Boiling point/range(°C/°F): 907°C/1664.6°F | Decomposition temperature(°C/°F): No information available |
| Bulk density: No information available | Specific gravity: No information available | Vapor pressure @ 20°C (kPa): No information available |
| Density (g/cm3): No information available | Evaporation rate: No information available | Vapor density: No information available |
| VOC content (g/L): No information available | Odor threshold (ppm): No information available | Partition coefficient (n-octanol/water): No information available |
| Viscosity: No information available | Miscibility: No information available | Solubility: Insoluble in Acetone Insoluble in cold water Insoluble in diethyl ether Insoluble in hot water Insoluble in methanol Insoluble in n-octanol |

10. STABILITY AND REACTIVITY

Reactivity

Reactive with acids

Reactive with alkalis

Reactive with oxidizing agents

Incompatible with acids, halogenated hydrocarbons, NH₄NO₃, barium oxide, Ba(NO₃)₂, Cadmium, CS₂, chlorates, Cl₂, CrO₃, F₂, Hydroxylamine, Pb(N₃)₂, MnCl₂, HNO₃, performic acid, KClO₃, KNO₃, N₂O₂, Selenium, NaClO₃, Na₂O₂, Sulfur, Te, water, (NH₄)₂S, As₂O₃, CS₂, CaCl₂, chlorinated rubber, catalytic metals, halocarbons, o-nitroanisole, nitrobenzene, nonmetals, oxidants, paint primer base, pentacarbonoyliron, transition metal halides, seleninyl bromide, HCl, H₂SO₄, (Mg +Ba(NO₃)₂ +BaO₂), (ethyl acetoacetate +tribromoneopentyl alcohol. Contact with Alkali Hydroxides(Sodium Hydroxide, Potassium Hydroxide, Calcium Hydroxide, etc) results in evolution of hydrogen.

Ammonium nitrate + zinc + water causes a violent reaction with evolution of steam and zinc oxide.

May react with water

Chemical stability

Stability:

Stable under recommended storage conditions

Possibility of Hazardous Reactions:

Hazardous polymerization does not occur

Conditions to avoid:

Heat. Ignition sources. Incompatible materials.

Incompatible Materials:

Acids. Alkalis. Oxidizing agents.

Hazardous decomposition products: No information available

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:

Ingestion. Inhalation.

Acute Toxicity

Component Information

Zinc Metal - 7440-66-6

- LD50/oral/rat** = No information available
- LD50/oral/mouse** = No information available
- LD50/dermal/rat** = No information available
- LD50/dermal/rabbit** = No information available
- LC50/inhalation/rat** = No information available
- LC50/inhalation/mouse** = No information available
- Other LD50 or LC50 information** = No information available

Product Information

LD50/oral/rat =
VALUE- Acute Tox Oral = No information available

LD50/oral/mouse =
Value - Acute Tox Oral = No information available

LD50/dermal/rabbit
VALUE-Acute Tox Dermal = No information available

LD50/dermal/rat
VALUE -Acute Tox Dermal = No information available

LC50/inhalation/rat
VALUE-Vapor = No information available
VALUE-Gas = No information available
VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse
VALUE-Vapor = No information available
VALUE - Gas = No information available
VALUE - Dust/Mist = No information available

Symptoms

Skin Contact: May cause skin irritation. Dermal exposure to zinc may produce leg pains, fatigue, anorexia and weight loss.

Eye Contact: Zinc in the forms of Zinc Metal Sheets; Zinc Metal Shot; Zinc Metal Strips; Zinc Foil; Zinc Metal sticks; Zinc Metal, mossy are not expected to get into the eyes and cause eye irritation.

Inhalation Not an inhalation hazard in forms of Zinc Metal Sheets; Zinc Metal Shot; Zinc Metal Strips; Zinc Foil; Zinc Metal sticks; Zinc Metal, mossy when handled under normal conditions. Inhalation of zinc dust or fumes (if metal is smelted) may cause respiratory tract and mucous membrane irritation with cough and chest pain. It can also cause "metal fume fever", a flu-like condition characterized appearance of chills, headached fever, malaise, fatigue, sweating, extreme thirst, aches in the legs and chest, and difficulty in breathing. A sweet taste may also be present in metal fume fever, as well as a dry throat, aches, nausea, and vomiting, and pale grey cyanosis. The toxicological properties of this substance have not been fully investigated.

Ingestion May be harmful if swallowed. May cause digestive tract irritation with tightness in throat, nausea, vomiting, diarrhea, loss of appetite, malaise, abdominal pain. fever, and chills. May affect behavior/central nervous system and autonomic nervous system with ataxia, lethargy, staggering gait, mild derangement in cerebellar function, lightheadness, dizziness, irritability, muscular stiffness, and pain. May also affect blood.

Aspiration hazard No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity No information available

Sensitization: No information available

Mutagenic Effects: No information available

Carcinogenic effects: Not considered carcinogenic

| Components | ACGIH - Carcinogens | IARC | NTP | OSHA HCS - Carcinogens | Australia - Prohibited Carcinogenic Substances | Australia - Notifiable Carcinogenic Substances |
|------------|---------------------|------------|------------|------------------------|--|--|
| Zinc Metal | Not listed | Not listed | Not listed | Not listed | Not listed | Not listed |

Reproductive toxicity No data is available

Reproductive Effects: No information available

Developmental Effects: No information available

Teratogenic Effects: No information available

Specific Target Organ Toxicity

STOT - single exposure No information available

STOT - repeated exposure No information available

Target Organs: No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity effects: No data available.

Zinc Metal - 7440-66-6

Freshwater Algae Data: 0.09 - 0.125 mg/L EC50 *Pseudokirchneriella subcapitata* 72 h
0.11 - 0.271 mg/L EC50 *Pseudokirchneriella subcapitata* 96 h

Freshwater Fish Species Data: 0.211 - 0.269 mg/L LC50 *Pimephales promelas* 96 h semi-static 1
2.16 - 3.05 mg/L LC50 *Pimephales promelas* 96 h flow-through 1
0.24 mg/L LC50 *Oncorhynchus mykiss* 96 h flow-through 1
0.41 mg/L LC50 *Oncorhynchus mykiss* 96 h static 1
0.45 mg/L LC50 *Cyprinus carpio* 96 h semi-static 1
0.59 mg/L LC50 *Oncorhynchus mykiss* 96 h semi-static 1
2.66 mg/L LC50 *Pimephales promelas* 96 h static 1
3.5 mg/L LC50 *Lepomis macrochirus* 96 h static 1
30 mg/L LC50 *Cyprinus carpio* 96 h 1
7.8 mg/L LC50 *Cyprinus carpio* 96 h static 1

Water Flea Data: 0.139 - 0.908 mg/L EC50 *Daphnia magna* 48 h

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

| Components | RCRA - F Series Wastes | RCRA - K Series Wastes | RCRA - P Series Wastes | RCRA - U Series Wastes |
|------------|------------------------|------------------------|------------------------|------------------------|
| Zinc Metal | None | None | None | None |

14. TRANSPORT INFORMATION

DOT

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: None
ERG No: No information available
Marine Pollutant: No data available
DOT RQ (lbs): No information available

TDG (Canada)

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available

Product code: Z1043

Product name: ZINC METAL, 6 IN. X 1 IN. X 0.019 IN., STRIPS

14. TRANSPORT INFORMATION

Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

ADR

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Packing Group: No information available
Subsidiary Risk: No information available
Classification Code: No information available
Description: No information available
CEFIC Tremcard No: No information available

IMO / IMDG

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available
IMDG Page: No information available
Marine Pollutant No information available
MFAG: No information available
Maximum Quantity: No information available

RID

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Classification Code: No information available
Description: No information available

ICAO

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

IATA

UN-No: Not Regulated
Proper Shipping Name: No information available
Hazard Class: No information available
Subsidiary Risk: No information available
Packing Group: No information available
Description: No information available

15. REGULATORY INFORMATION

International Inventories

Product code: Z1043

Product name: ZINC METAL, 6 IN. X 1
IN. X 0.019 IN., STRIPS

9 / 12

| Components | U.S. TSCA | KOREA KECL | Philippines (PICCS) | Japan ENCS | CHINA | Australia (AICS) | EINECS-No. |
|------------|-----------|------------------|---------------------|-------------|---------|------------------|-------------------|
| Zinc Metal | Present | Present KE-35518 | Present | Not present | Present | Present | Present 231-175-3 |

U.S. Regulations

Zinc Metal

Massachusetts RTK: Present

New Jersey RTK Hazardous Substance List: 2021

New Jersey (EHS) List: 2021 500 lb TPQ

New Jersey - Discharge Prevention - List of Hazardous Substances: Present

Pennsylvania RTK: Environmental hazard

Pennsylvania RTK - Environmental Hazard List Present

Michigan - Critical Materials List: Present

New York Release Reporting - List of Hazardous Substances:

1000 lb RQ

100 lb RQ

Louisiana Reportable Quantity List for Pollutants: 454kgfinal RQno reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $\geq 100 \mu\text{m}$

1000lbfinal RQno reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $\geq 100 \mu\text{m}$

California Directors List of Hazardous Substances: Present

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

| Components | Carcinogen | Developmental Toxicity | Male Reproductive Toxicity | Female Reproductive Toxicity: |
|------------|------------|------------------------|----------------------------|-------------------------------|
| Zinc Metal | Not Listed | Not Listed | Not Listed | Not Listed |

CERCLA/SARA

| Components | CERCLA - Hazardous Substances and their Reportable Quantities | Section 302 Extremely Hazardous Substances and TPQs | Section 302 Extremely Hazardous Substances and RQs | Section 313 - Chemical Category | Section 313 - Reporting <i>de minimis</i> |
|------------|---|---|--|---------------------------------|---|
| Zinc Metal | 454 kg final RQ 1000 lb final RQ | None | None | None | 1.0 % de minimis concentration |

U.S. TSCA

| Components | TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS) | TSCA 8(d) -Health and Safety Reporting |
|------------|---|--|
| Zinc Metal | Not Applicable | Not Applicable |

Canada

WHMIS hazard class:

Non-controlled

Canada Controlled Products Regulation:

This product has been classified according to the hazard criteria of the CPR (Controlled Products Regulation) and the MSDS contains all of the information required by the CPR.

Inventory

Product code: Z1043

Product name: ZINC METAL, 6 IN. X 1 IN. X 0.019 IN., STRIPS

10 / 12

| Components | Canada (DSL) | Canada (NDSL) |
|------------|--------------|---------------|
| Zinc Metal | Present | Not Listed |

| Components | CEPA Schedule I - Toxic Substances | CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting |
|------------|------------------------------------|---|
| Zinc Metal | Not listed | Not listed |

EU Classification

R-phrase(s)

R15 - Contact with water liberates extremely flammable gases.

R17 - Spontaneously flammable in air.

S -phrase(s)

none

S 7/8 - Keep container tightly closed and dry.

| Components | Classification | Concentration Limits: | Safety Phrases |
|------------|----------------|-----------------------|----------------|
| Zinc Metal | | No information | |

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

None.

16. OTHER INFORMATION

16. OTHER INFORMATION

Revision Date: 06/25/2015
Prepared by: Sonia Owen

Disclaimer: All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Spectrum Chemicals & Laboratory Products, Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Spectrum assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet